



BRITISH ELECTRIC LAMPS LIMITED



COMPLETE LAMP CATALOGUE 2013

LOOKING TO THE FUTURE

2012/13 - 100s OF
NEW PRODUCTS

Standard
Next Day
Delivery
Service*



BRITISH ELECTRIC LAMPS LTD

British Electric Lamps Ltd. was established in 1920 and has built a reputation within the industry for manufacturing quality products and providing excellent service to our customers.

It is our aim to continue developing and providing innovative and exciting new products to meet the growing demand in the market for cost effective energy saving products.



Manufacturing



Quality Control



Distribution



Customer Services and Distribution

Unit A, Foxbridge Way, Normanton Industrial Estate,
Normanton, West Yorkshire WF6 1TN, UK
Tel: +44 (0)1924 893380
Fax: +44 (0)1924 894320
email: sales@belllighting.co.uk

Head Office and Accounts

Unit 3, The Showhouse,
Merton Abbey Mills,
Watermill Way,
London SW19 2RD, UK
Tel: +44 (0)208 5459590
Fax: +44 (0)208 5420749
email: accounts@belllighting.co.uk

***Standard Next Day Delivery Service.** Next day delivery is subject to orders being received by 12:00pm the previous day and cannot be guaranteed at peak periods.

Note: All comparisons of light levels are approximate and a guide only.



FM 02028



www.belllighting.co.uk

WeeCare



CFL Technology

CFL Household	
35mm Candle, Bent Tip Candle	5
45mm Round, Globe, GU10, Strip, 118mm Linear	6
GLS Household	7
Spiral T3	8 & 9
4U T3 ECO	9
Ultra Mini Spiral T2	10
Micro Superlux 6U T2, Half Spiral T2	11
Reflector Spots	12
CFL Commercial	
BLD Double Turn 2-Pin and 4-Pin	13
BLT Triple Turn 2-Pin and 4-Pin	14
BLS Single Turn 2-Pin	15
BLL Linear 4-Pin	16
GX53, T9 Circular	17
Square	
2-Pin and 4-Pin	17

Fluorescent Tubes

T4, T5 and T8 Tubes	18 & 19
---------------------	---------

LED Technology

LED Commercial	
LV AR111, MR16, G9	20
GU10, Strip, 2D	20
Dimmable GU10, AR111 GU10	21
LED Decorative	
Candle, GLS,	22
45mm Round, Round Coloured, GU10 Coloured	23

Halogen G9 Adaptor

Halogen G9 Adaptors, bulbs and covers	24 & 25
---------------------------------------	---------

Halogen Energy Saver

Candle, GLS, 45mm Round	26
12V MR16, 240V GU10, MV Capsule, Linear	27

Halogen

LV AR111, 35mm & 50mm Dichroic, 50mm Aluminium	28
LV Capsules, 240V GU10 2500/5000 Hours, MV Capsules	29
110V Linear, 240V Infra-red Heat Lamps, Reflector Spot/Flood	30

Incandescent

Decorative Household	
35mm Plain Candle	32
35/45mm Decorative Candle	33
46mm Decorative Candle, Lantern, Bent Tip Candelux	34
Chandelier, Flicker, Church, Antique	35
45mm Round	36
45mm Round Coloured, GLS Coloured	37
GLS Standard/Special	
Globe, GLS,	38
Rough Service, 110V, Nightlight, Daylight, Fireglow	39
GLS & 45mm Crown Silver, Reflector Spot, PAR 38 Sealed Beam	40
Double Ended	
Strip, Architectural	41
Mini Tubular	
Small Sign (Pygmy)	42
Pilot, Appliance, Cooker Hood, Oven, Nightlight	43

Discharge Lamps

Tubular and Elliptical Metal Halide for Open/Enclosed Fitting – SON Ballast	
Tubular and Elliptical Metal Halide for Enclosed Fitting – Mercury Ballast EURO	44
Tubular and Elliptical Metal Halide for Enclosed Fitting – Dual Mercury or SON Ballast	
Double and Single Ended Tubular Quartz/Ceramic	45
High Pressure Sodium Tubular and Elliptical With/Without Ignitor For Open/Enclosed Fitting – SON Ballast	46
High Pressure Mercury Elliptical for Open/Enclosed Fitting – Mercury Ballast	47


Display Units & Product Literature

Display Units and Product Literature	48 - 50
--------------------------------------	---------




Cap Identification


CFL Technology




Fluorescent Tubes




LED Technology




Halogen+Energy Saving



Incandescent



Metal Halide



35mm Candle • Bent Tip

CFL Household



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
00760	240	7	BC/B22	Warm White 2700K	290	CFL Mini Candle	8000	50
00761	240	7	SBC/B15	Warm White 2700K	290	CFL Mini Candle	8000	50
00762	240	7	SES/E14	Warm White 2700K	290	CFL Mini Candle	8000	50
00763	240	7	ES/E27	Warm White 2700K	290	CFL Mini Candle	8000	50
00732	240	9	BC/B22	Warm White 2700K	470	CFL Mini Candle	8000	50
00734	240	9	SBC/B15	Warm White 2700K	470	CFL Mini Candle	8000	50
00733	240	9	SES/E14	Warm White 2700K	470	CFL Mini Candle	8000	50
00739	240	9	ES/E27	Warm White 2700K	470	CFL Mini Candle	8000	50
00735	240	11	BC/B22	Warm White 2700K	532	CFL Mini Candle	8000	50
00736	240	11	SBC/B15	Warm White 2700K	532	CFL Mini Candle	8000	50
00737	240	11	SES/E14	Warm White 2700K	532	CFL Mini Candle	8000	50
00738	240	11	ES/E27	Warm White 2700K	532	CFL Mini Candle	8000	50



35mm Candle Warm White
 7W
 9W
 11W
 BC/B22
 SBC/B15
 SES/E14
 ES/E27

H 110mm Ø 38mm

**ULTRA BRIGHT
 SPIRAL
 TECHNOLOGY**

7W CFL equivalent to light output of **40W** standard bulb
9W CFL equivalent to light output of **50W** standard bulb
11W CFL equivalent to light output of **60W** standard bulb
 Internal spiral technology creates even light spread and increased lumen output

00757	240	7	BC/B22	Amber	290	CFL Mini Candle	8000	50
--------------	-----	---	--------	-------	-----	-----------------	------	----



35mm Candle Amber
 7W
 BC/B22

H 110mm Ø 38mm

7W CFL equivalent to light output of **40W** standard bulb
 Internal spiral technology creates even light spread and increased lumen output

00768	240	7	BC/B22	Soft Pink	290	CFL Mini Candle	8000	50
--------------	-----	---	--------	-----------	-----	-----------------	------	----



35mm Candle Soft Pink
 7W
 BC/B22

H 110mm Ø 38mm

7W CFL equivalent to light output of **40W** standard bulb
 Internal spiral technology creates even light spread and increased lumen output

00730	240	7	BC/B22	Warm White 2700K	290	CFL Bent Tip Candle	8000	50
00731	240	7	SES/E14	Warm White 2700K	290	CFL Bent Tip Candle	8000	50



Bent Tip Candle Warm White
 7W
 BC/B22
 SES/E14

H 135mm Ø 38mm

7W CFL equivalent to light output of **40W** standard bulb
 Internal spiral technology creates even light spread and increased lumen output

EU Compliant CLASS A WEEE registration number: WEE/GJ0117XV
 NO ADDITIONAL CHARGE ON INVOICE



CFL Household

Round • Globe • GU10 • Strip • Linear

7W 45mm Round Warm White

BC/B22
SES/E14
ES/E27
H 95mm Ø 50mm



Code Volts Watts Cap Finish Lumens Description Hours Box Qty

00764	240	7	BC/B22	Warm White 2700K	290	CFL Mini Round	8000	50
00766	240	7	SES/E14	Warm White 2700K	290	CFL Mini Round	8000	50
00767	240	7	ES/E27	Warm White 2700K	290	CFL Mini Round	8000	50

7W CFL equivalent to light output of **35W** standard bulb

15W Globe Warm White

BC/B22
ES/E27
H 155mm Ø 90mm



00740	240	15	BC/B22	Warm White 2700K	800	CFL Globe 90mm	8000	50
00741	240	15	ES/E27	Warm White 2700K	800	CFL Globe 90mm	8000	50

15W CFL equivalent to light output of **75W** standard bulb

7W GU10 Warm White Cool White

H 59mm Ø 50mm



00715	240	7	GU10	Warm White 2700K	150	CFL Mini GU10	8000	50
00716	240	7	GU10	Cool White 4000K	175	CFL Mini GU10	8000	50

7W CFL approximately equivalent to light output of **35W** standard bulb

9W 11W GU10 Warm White Cool White

H 75mm Ø 50mm



03875	240	9	GU10	Warm White 2700K	180	CFL GU10	8000	10
03876	240	11	GU10	Warm White 2700K	300	CFL GU10	8000	10
03877	240	11	GU10	Cool White 4000K	300	CFL GU10	8000	10

9W CFL approximately equivalent to light output of **40W** standard bulb
11W CFL approximately equivalent to light output of **50W** standard bulb



5W Strip Lamp Warm White

L 221mm Ø 28mm

7W Strip Lamp Warm White

L 284mm Ø 28mm

02035	240	5	S15	Warm White 2700K	180	CFL Strip 221mm	8000	25
02030	240	7	S15	Warm White 2700K	290	CFL Strip 284mm	8000	25

5W CFL equivalent to light output of **30W** standard bulb
7W CFL equivalent to light output of **60W** standard bulb

24W 118mm Linear Lamp Cool White

L 118mm



03827	240	24	R7	Cool White 4000K	1250	CFL Linear 118mm	8000	50
-------	-----	----	----	------------------	------	------------------	------	----

24W CFL equivalent to light output of **150W** (approx.) standard bulb

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE

EU Compliant
CLASS A



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
00744	240	7	BC/B22	Warm White 2700K	290	CFL GLS	10000	50
00751	240	7	ES/E27	Warm White 2700K	290	CFL GLS	10000	50

7W CFL equivalent to light output of **25W** standard bulb



GLS 7W
Warm White
 BC/B22
 ES/E27
 H 112mm Ø 45mm

00745	240	9	BC/B22	Warm White 2700K	500	CFL GLS	10000	50
00752	240	9	ES/E27	Warm White 2700K	500	CFL GLS	10000	50

9W CFL equivalent to light output of **40W** standard bulb



GLS 9W
Warm White
 BC/B22
 ES/E27
 H 120mm Ø 60mm

00746	240	11	BC/B22	Warm White 2700K	650	CFL GLS	10000	50
00753	240	11	ES/E27	Warm White 2700K	650	CFL GLS	10000	50

11W CFL equivalent to light output of **60W** standard bulb



GLS 11W
Warm White
 BC/B22
 ES/E27
 H 120mm Ø 60mm

00747	240	15	BC/B22	Warm White 2700K	800	CFL GLS	10000	50
00754	240	15	ES/E27	Warm White 2700K	800	CFL GLS	10000	50

15W CFL equivalent to light output of **75W** standard bulb



GLS 15W
Warm White
 BC/B22
 ES/E27
 H 125mm Ø 60mm

00748	240	20	BC/B22	Warm White 2700K	1160	CFL GLS	10000	50
00755	240	20	ES/E27	Warm White 2700K	1160	CFL GLS	10000	50

20W CFL equivalent to light output of **100W** standard bulb



GLS 20W
Warm White
 BC/B22
 ES/E27
 H 140mm Ø 70mm



Spiral T3

5W Mini Spiral T3 Warm White

BC/B22
SES/E14
ES/E27

H 90mm Ø 37mm

QUICK START



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
05000	240	5	BC/B22	Warm White 2700K	240	CFL Mini Spiral	10000	50
04995	240	5	SES/E14	Warm White 2700K	240	CFL Mini Spiral	10000	50
05009	240	5	ES/E27	Warm White 2700K	240	CFL Mini Spiral	10000	50

5W CFL equivalent to light output of **15W** standard bulb

7W Mini Spiral T3 Warm White

BC/B22
SBC/B15
SES/E14
ES/E27

H 95mm Ø 37mm

QUICK START



05001	240	7	BC/B22	Warm White 2700K	400	CFL Mini Spiral	10000	50
04992	240	7	SBC/B15	Warm White 2700K	400	CFL Mini Spiral	10000	50
04996	240	7	SES/E14	Warm White 2700K	400	CFL Mini Spiral	10000	50
05010	240	7	ES/E27	Warm White 2700K	400	CFL Mini Spiral	10000	50

7W CFL equivalent to light output of **25W** standard bulb

9W Mini Spiral T3 Warm White

BC/B22
SBC/B15
SES/E14
ES/E27

H 102mm Ø 37mm

QUICK START



05002	240	9	BC/B22	Warm White 2700K	480	CFL Mini Spiral	10000	50
04993	240	9	SBC/B15	Warm White 2700K	480	CFL Mini Spiral	10000	50
04997	240	9	SES/E14	Warm White 2700K	480	CFL Mini Spiral	10000	50
05011	240	9	ES/E27	Warm White 2700K	480	CFL Mini Spiral	10000	50

9W CFL equivalent to light output of **40W** standard bulb

11W Spiral T3 Warm White

BC/B22
SES/E14
ES/E27

H 109mm Ø 37mm

QUICK START



05003	240	11	BC/B22	Warm White 2700K	600	CFL Spiral	10000	50
05007	240	11	SES/E14	Warm White 2700K	600	CFL Spiral	10000	50
05012	240	11	ES/E27	Warm White 2700K	600	CFL Spiral	10000	50

11W CFL equivalent to light output of **60W** standard bulb

15W Spiral T3 Warm White

BC/B22
ES/E27

H 121mm Ø 48mm

QUICK START



05004	240	15	BC/B22	Warm White 2700K	900	CFL Spiral	10000	50
05013	240	15	ES/E27	Warm White 2700K	900	CFL Spiral	10000	50

15W CFL equivalent to light output of **75W** standard bulb

20W Spiral T3 Warm White

BC/B22
ES/E27

H 130mm Ø 48mm

QUICK START



05005	240	20	BC/B22	Warm White 2700K	1200	CFL Spiral	10000	50
05014	240	20	ES/E27	Warm White 2700K	1200	CFL Spiral	10000	50

20W CFL equivalent to light output of **100W** standard bulb

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE

EU Compliant
CLASS A

Spiral T3 • Dimmable Half Spiral T3 • 4U T3 ECO

CFL Household



Code Volts Watts Cap Finish Lumens Description Hours Box Qty

05006	240	25	BC/B22	Warm White 2700K	1520	CFL Spiral	10000	50
05015	240	25	ES/E27	Warm White 2700K	1520	CFL Spiral	10000	50

25W CFL equivalent to light output of 125W standard bulb



Spiral T3 25W
Warm White
 BC/B22
 ES/E27

H 142mm Ø 48mm

QUICK START

04960	240	15	BC/B22	Warm White 2700K	850	CFL Half Spiral T3	10000	50
04961	240	15	ES/E27	Warm White 2700K	850	CFL Half Spiral T3	10000	50

15W CFL equivalent to light output of 75W standard bulb

NEW

Dimmable Contact Customer Services for maximum loading and dimmer compatibility



Dimmable 15W
Half Spiral T3
Warm White
 BC/B22
 ES/E27

H 125mm Ø 54mm

QUICK START

04984	240	11	BC/B22	Warm White 2700K	532	CFL 4U T3 ECO	10000	50
04985	240	11	ES/E27	Warm White 2700K	532	CFL 4U T3 ECO	10000	50

11W CFL equivalent to light output of 60W standard bulb



4U T3 ECO 11W
Warm White
 BC/B22
 ES/E27

H 100mm Ø 47mm

QUICK START

04986	240	15	BC/B22	Warm White 2700K	820	CFL 4U T3 ECO	10000	50
04987	240	15	ES/E27	Warm White 2700K	820	CFL 4U T3 ECO	10000	50

15W CFL equivalent to light output of 75W standard bulb



4U T3 ECO 15W
Warm White
 BC/B22
 ES/E27

H 112mm Ø 47mm

QUICK START

04988	240	20	BC/B22	Warm White 2700K	1160	CFL 4U T3 ECO	10000	50
04989	240	20	ES/E27	Warm White 2700K	1160	CFL 4U T3 ECO	10000	50

20W CFL equivalent to light output of 100W standard bulb



4U T3 ECO 20W
Warm White
 BC/B22
 ES/E27

H 128mm Ø 47mm

QUICK START

EU Compliant
 CLASS A

WEEE registration number: WEE/GJ0117XV
 NO ADDITIONAL CHARGE ON INVOICE



CFL Household

Ultra Mini Spiral T2 Micro Technology

9W Ultra Mini Spiral T2 Warm White

BC/B22
SBC/B15
SES/E14
H 88mm Ø 34mm

ULTRA COMPACT
QUICK START



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
04909	240	9	BC/B22	Warm White 2700K	500	CFL Ultra Mini Spiral T2	10000	50
04908	240	9	SBC/B15	Warm White 2700K	500	CFL Ultra Mini Spiral T2	10000	50
04910	240	9	SES/E14	Warm White 2700K	500	CFL Ultra Mini Spiral T2	10000	50

30% smaller than 9W T3 Spiral

9W CFL equivalent to light output of 40W standard bulb

11W Ultra Mini Spiral T2 Warm White

BC/B22
SES/E14
ES/E27
H 94mm Ø 34mm

ULTRA COMPACT
QUICK START



04912	240	11	BC/B22	Warm White 2700K	600	CFL Ultra Mini Spiral T2	10000	50
04913	240	11	SES/E14	Warm White 2700K	600	CFL Ultra Mini Spiral T2	10000	50
04914	240	11	ES/E27	Warm White 2700K	600	CFL Ultra Mini Spiral T2	10000	50

30% smaller than 11W T3 Spiral

11W CFL equivalent to light output of 60W standard bulb

15W Ultra Mini Spiral T2 Warm White

BC/B22
SES/E14
ES/E27
H 102mm Ø 39mm

ULTRA COMPACT
QUICK START



04916	240	15	BC/B22	Warm White 2700K	800	CFL Ultra Mini Spiral T2	10000	50
04917	240	15	SES/E14	Warm White 2700K	800	CFL Ultra Mini Spiral T2	10000	50
04918	240	15	ES/E27	Warm White 2700K	800	CFL Ultra Mini Spiral T2	10000	50

30% smaller than 15W T3 Spiral

15W CFL equivalent to light output of 75W standard bulb

20W Ultra Mini Spiral T2 Warm White

BC/B22
ES/E27
H 107.5mm Ø 52mm

ULTRA COMPACT
QUICK START



04921	240	20	BC/B22	Warm White 2700K	1200	CFL Ultra Mini Spiral T2	10000	50
04922	240	20	ES/E27	Warm White 2700K	1200	CFL Ultra Mini Spiral T2	10000	50

30% smaller than 20W T3 Spiral

20W CFL equivalent to light output of 100W standard bulb

23W Ultra Mini Spiral T2 Warm White

BC/B22
ES/E27
H 112mm Ø 52mm

ULTRA COMPACT
QUICK START



04925	240	23	BC/B22	Warm White 2700K	1370	CFL Ultra Mini Spiral T2	10000	50
04926	240	23	ES/E27	Warm White 2700K	1370	CFL Ultra Mini Spiral T2	10000	50

30% smaller than 25W T3 Spiral

23W CFL equivalent to light output of 120W standard bulb

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE

EU Compliant
CLASS A

Micro Superlux 6U T2 Micro Technology Half Spiral T2 Micro Technology

CFL Household



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
04970	240	9	BC/B22	Warm White 2700K	410	CFL Micro Superlux 6U T2	10000	50
04972	240	9	SES/E14	Warm White 2700K	410	CFL Micro Superlux 6U T2	10000	50
04971	240	9	ES/E27	Warm White 2700K	410	CFL Micro Superlux 6U T2	10000	50



Micro Superlux 9W
6U T2
Warm White
BC/B22
SES/E14
ES/E27

BC/ES H 88mm Ø 40mm
SES H 87mm Ø 32.5mm

MICRO SIZE
QUICK START
ULTRA BRIGHT

30% smaller 30% brighter

9W CFL equivalent to light output of 40W standard bulb

04974	240	11	BC/B22	Warm White 2700K	540	CFL Micro Superlux 6U T2	10000	50
04976	240	11	SES/E14	Warm White 2700K	540	CFL Micro Superlux 6U T2	10000	50
04975	240	11	ES/E27	Warm White 2700K	540	CFL Micro Superlux 6U T2	10000	50



Micro Superlux 11W
6U T2
Warm White
BC/B22
SES/E14
ES/E27

BC/ES H 91mm Ø 40mm
SES H 89mm Ø 32.5mm

MICRO SIZE
QUICK START
ULTRA BRIGHT

30% smaller 30% brighter

11W CFL equivalent to light output of 60W standard bulb

04932	240	11	BC/B22	Daylight White 6500K	550	CFL T2 Half Spiral	10000	50
04933	240	11	SES/E14	Daylight White 6500K	550	CFL T2 Half Spiral	10000	50
04934	240	11	ES/E27	Daylight White 6500K	550	CFL T2 Half Spiral	10000	50



Half Spiral 11W
T2
Daylight White
BC/B22
SES/E14
ES/E27

H 89mm Ø 46mm

QUICK START

11W CFL equivalent to light output of 60W standard bulb

NEW

04936	240	15	BC/B22	Daylight White 6500K	800	CFL T2 Half Spiral	10000	50
04937	240	15	SES/E14	Daylight White 6500K	800	CFL T2 Half Spiral	10000	50
04938	240	15	ES/E27	Daylight White 6500K	800	CFL T2 Half Spiral	10000	50



Half Spiral 15W
T2
Daylight White
BC/B22
SES/E14
ES/E27

H 99.5mm Ø 48mm

QUICK START

15W CFL equivalent to light output of 75W standard bulb

NEW

04939	240	20	BC/B22	Daylight White 6500K	1100	CFL T2 Half Spiral	10000	50
04940	240	20	ES/E27	Daylight White 6500K	1100	CFL T2 Half Spiral	10000	50



Half Spiral 20W
T2
Daylight White
BC/B22
ES/E27

H 110mm Ø 52mm

QUICK START

20W CFL equivalent to light output of 100W standard bulb

NEW

EU Compliant
CLASS A

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE

See overleaf for
23W Half Spiral



23W Half Spiral T2 Daylight White
 BC/B22
 ES/E27
 H 117.5mm Ø 61mm

QUICK START

Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
04943	240	23	BC/B22	Daylight White 6500K	1250	CFL T2 Half Spiral	10000	50
04944	240	23	ES/E27	Daylight White 6500K	1250	CFL T2 Half Spiral	10000	50

23W CFL equivalent to light output of **120W** standard bulb

NEW



7W R50 Spot
 SES/E14
 H 105mm Ø 50mm

02715	240	7	SES/E14	Warm White 2700K	200	CFL R50 Reflector Spot	10000	50
-------	-----	---	---------	------------------	-----	------------------------	-------	----

7W CFL approximately equivalent to light output of **40W** standard bulb



11W R64 Spot
 ES/E27
 H 101mm Ø 64mm

02720	240	11	ES/E27	Warm White 2700K	300	CFL R64 Reflector Spot	10000	50
-------	-----	----	--------	------------------	-----	------------------------	-------	----

11W CFL approximately equivalent to light output of **60W** standard bulb



15W R80 Spot
 ES/E27
 H 125mm Ø 80mm

02730	240	15	ES/E27	Warm White 2700K	600	CFL R80 Reflector Spot	10000	50
-------	-----	----	--------	------------------	-----	------------------------	-------	----


15W CFL approximately equivalent to light output of **75W** standard bulb

BLD Double Turn 2-Pin and 4-Pin

CFL Commercial



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
04150	240	10	G24d-1	Cool White 4000K	600	BLD 840 2-Pin	10000	50
04157	240	10	G24q-1	Cool White 4000K	600	BLD 840 4-Pin	10000	50
04230	240	10	G24d-1	White 3500K	600	BLD 835 2-Pin	10000	50
04246	240	10	G24q-1	White 3500K	600	BLD 835 4-Pin	10000	50
04238	240	10	G24d-1	Warm White 2700K	600	BLD 827 2-Pin	10000	50
04254	240	10	G24q-1	Warm White 2700K	600	BLD 827 4-Pin	10000	50



BLD 10W
Cool White
White
Warm White
 2/4-Pin
 L 119mm W 27mm

04151	240	13	G24d-1	Cool White 4000K	900	BLD 840 2-Pin	10000	50
04158	240	13	G24q-1	Cool White 4000K	900	BLD 840 4-Pin	10000	50
04231	240	13	G24d-1	White 3500K	900	BLD 835 2-Pin	10000	50
04247	240	13	G24q-1	White 3500K	900	BLD 835 4-Pin	10000	50
04239	240	13	G24d-1	Warm White 2700K	900	BLD 827 2-Pin	10000	50
04255	240	13	G24q-1	Warm White 2700K	900	BLD 827 4-Pin	10000	50



BLD 13W
Cool White
White
Warm White
 2/4-Pin
 L 137mm W 27mm

04152	240	18	G24d-2	Cool White 4000K	1200	BLD 840 2-Pin	10000	50
04159	240	18	G24q-2	Cool White 4000K	1200	BLD 840 4-Pin	10000	50
04232	240	18	G24d-2	White 3500K	1200	BLD 835 2-Pin	10000	50
04248	240	18	G24q-2	White 3500K	1200	BLD 835 4-Pin	10000	50
04240	240	18	G24d-2	Warm White 2700K	1200	BLD 827 2-Pin	10000	50
04256	240	18	G24q-2	Warm White 2700K	1200	BLD 827 4-Pin	10000	50



BLD 18W
Cool White
White
Warm White
 2/4-Pin
 L 153mm W 27mm

04153	240	26	G24d-3	Cool White 4000K	1800	BLD 840 2-Pin	10000	50
04160	240	26	G24q-3	Cool White 4000K	1800	BLD 840 4-Pin	10000	50
04233	240	26	G24d-3	White 3500K	1800	BLD 835 2-Pin	10000	50
04249	240	26	G24q-3	White 3500K	1800	BLD 835 4-Pin	10000	50
04241	240	26	G24d-3	Warm White 2700K	1800	BLD 827 2-Pin	10000	50
04257	240	26	G24q-3	Warm White 2700K	1800	BLD 827 4-Pin	10000	50



BLD 26W
Cool White
White
Warm White
 2/4-Pin
 L 173mm W 27mm

WEEE registration number: WEE/GJ0117XV
 NO ADDITIONAL CHARGE ON INVOICE



BLT Triple Turn 2-Pin and 4-Pin

13W BLT
Cool White
White
Warm White
 2/4-Pin
 L 110mm W 42mm



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
04164	240	13	GX24d-1	Cool White 4000K	900	BLT 840 2-Pin	10000	50
04166	240	13	GX24q-1	Cool White 4000K	900	BLT 840 4-Pin	10000	50
04265	240	13	GX24d-1	White 3500K	900	BLT 835 2-Pin	10000	50
04283	240	13	GX24q-1	White 3500K	900	BLT 835 4-Pin	10000	50
04270	240	13	GX24d-1	Warm White 2700K	900	BLT 827 2-Pin	10000	50
04292	240	13	GX24q-1	Warm White 2700K	900	BLT 827 4-Pin	10000	50

18W BLT
Cool White
White
Warm White
 2/4-Pin
 L 125mm W 42mm



04165	240	18	GX24d-2	Cool White 4000K	1200	BLT 840 2-Pin	10000	50
04167	240	18	GX24q-2	Cool White 4000K	1200	BLT 840 4-Pin	10000	50
04266	240	18	GX24d-2	White 3500K	1200	BLT 835 2-Pin	10000	50
04284	240	18	GX24q-2	White 3500K	1200	BLT 835 4-Pin	10000	50
04271	240	18	GX24d-2	Warm White 2700K	1200	BLT 827 2-Pin	10000	50
04293	240	18	GX24q-2	Warm White 2700K	1200	BLT 827 4-Pin	10000	50

26W BLT
Cool White
White
Warm White
 2/4-Pin
 L 145mm W 42mm



04168	240	26	GX24d-3	Cool White 4000K	1800	BLT 840 2-Pin	10000	50
04169	240	26	GX24q-3	Cool White 4000K	1800	BLT 840 4-Pin	10000	50
04267	240	26	GX24d-3	White 3500K	1800	BLT 835 2-Pin	10000	50
04285	240	26	GX24q-3	White 3500K	1800	BLT 835 4-Pin	10000	50
04272	240	26	GX24d-3	Warm White 2700K	1800	BLT 827 2-Pin	10000	50
04294	240	26	GX24q-3	Warm White 2700K	1800	BLT 827 4-Pin	10000	50

32W BLT
Cool White
White
Warm White
 4-Pin
 L 150mm W 42mm



04277	240	32	GX24q-3	Cool White 4000K	2400	BLT 840 4-Pin	10000	50
04286	240	32	GX24q-3	White 3500K	2400	BLT 835 4-Pin	10000	50
04295	240	32	GX24q-3	Warm White 2700K	2400	BLT 827 4-Pin	10000	50

42W BLT
Cool White
White
Warm White
 4-Pin
 L 168mm W 42mm



04278	240	42	GX24q-4	Cool White 4000K	3200	BLT 840 4-Pin	10000	50
04287	240	42	GX24q-4	White 3500K	3200	BLT 835 4-Pin	10000	50
04296	240	42	GX24q-4	Warm White 2700K	3200	BLT 827 4-Pin	10000	50

WEEE registration number: WEE/GJ0117XV
 NO ADDITIONAL CHARGE ON INVOICE

BLS Single Turn 2-Pin

CFL Commercial



Code Volts Watts Cap Finish Lumens Description Hours Box Qty

04200	240	5	G23	Cool White 4000K	250	BLS 840 2-Pin	10000	50
04209	240	5	G23	White 3500K	250	BLS 835 2-Pin	10000	50
04217	240	5	G23	Warm White 2700K	250	BLS 827 2-Pin	10000	50



BLS 5W
Cool White
White
Warm White
 G23
 L 90mm W 32mm

04201	240	7	G23	Cool White 4000K	400	BLS 840 2-Pin	10000	50
04210	240	7	G23	White 3500K	400	BLS 835 2-Pin	10000	50
04218	240	7	G23	Warm White 2700K	400	BLS 827 2-Pin	10000	50



BLS 7W
Cool White
White
Warm White
 G23
 L 121mm W 32mm

04202	240	9	G23	Cool White 4000K	600	BLS 840 2-Pin	10000	50
04211	240	9	G23	White 3500K	600	BLS 835 2-Pin	10000	50
04219	240	9	G23	Warm White 2700K	600	BLS 827 2-Pin	10000	50



BLS 9W
Cool White
White
Warm White
 G23
 L 149mm W 32mm

04203	240	11	G23	Cool White 4000K	900	BLS 840 2-Pin	10000	50
04212	240	11	G23	White 3500K	900	BLS 835 2-Pin	10000	50
04220	240	11	G23	Warm White 2700K	900	BLS 827 2-Pin	10000	50




BLS 11W
Cool White
White
Warm White
 G23
 L 219mm W 32mm

WEEE registration number: WEE/GJ0117XV
 NO ADDITIONAL CHARGE ON INVOICE



BLL Linear 4-Pin



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
------	-------	-------	-----	--------	--------	-------------	-------	---------

18W **BLL**
Cool White
White
Warm White
2G11

04302	240	18	2G11	Cool White 4000K	1200	BLL 840 4-Pin	10000	50
04311	240	18	2G11	White 3500K	1200	BLL 835 4-Pin	10000	50
04320	240	18	2G11	Warm White 2700K	1200	BLL 827 4-Pin	10000	50

L 226mm W 43mm



24W **BLL**
Cool White
White
Warm White
2G11

04303	240	24	2G11	Cool White 4000K	1800	BLL 840 4-Pin	10000	50
04312	240	24	2G11	White 3500K	1800	BLL 835 4-Pin	10000	50
04321	240	24	2G11	Warm White 2700K	1800	BLL 827 4-Pin	10000	50

L 320mm W 43mm



36W **BLL**
Cool White
White
Warm White
2G11

04304	240	36	2G11	Cool White 4000K	2900	BLL 840 4-Pin	10000	50
04313	240	36	2G11	White 3500K	2900	BLL 835 4-Pin	10000	50
04322	240	36	2G11	Warm White 2700K	2900	BLL 827 4-Pin	10000	50

L 415mm W 43mm



40W **BLL**
Cool White
White
Warm White
2G11

04305	240	40	2G11	Cool White 4000K	3325	BLL 840 4-Pin	10000	50
04314	240	40	2G11	White 3500K	3325	BLL 835 4-Pin	10000	50
04323	240	40	2G11	Warm White 2700K	3325	BLL 827 4-Pin	10000	50

L 536mm W 43mm



55W **BLL**
Cool White
White
Warm White
2G11

04306	240	55	2G11	Cool White 4000K	4800	BLL 840 4-Pin	10000	50
04315	240	55	2G11	White 3500K	4800	BLL 835 4-Pin	10000	50
04324	240	55	2G11	Warm White 2700K	4800	BLL 827 4-Pin	10000	50

L 536mm W 43mm

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE

GX53 • T9 Circular Square 2-Pin and 4-Pin

CFL Commercial & Square




Code Volts Watts Cap Finish Lumens Description Hours Box Qty

04147	240	7	GX53	Cool White 4000K	240	CFL Round Mini	6000	100
04148	240	9	GX53	Cool White 4000K	300	CFL Round Mini	6000	100



GX53 **7W**
Cool White **9W**
GX53
D 27mm Ø 75mm

04190	240	22	G10q	Warm White 3000K	1400	T9 Circular 4-Pin	10000	12
04194	240	22	G10q	Cool White 4100K	1300	T9 Circular 4-Pin	10000	12
04191	240	32	G10q	Warm White 3000K	2450	T9 Circular 4-Pin	10000	12
04195	240	32	G10q	Cool White 4100K	2300	T9 Circular 4-Pin	10000	12
04192	240	40	G10q	Warm White 3000K	3450	T9 Circular 4-Pin	10000	12
04196	240	40	G10q	Cool White 4100K	3200	T9 Circular 4-Pin	10000	12
04193	240	60	G10q	Warm White 3000K	4300	T9 Circular 4-Pin	10000	12
04197	240	60	G10q	Cool White 4100K	4100	T9 Circular 4-Pin	10000	12



T9 **22W**
Triphosphor **32W**
Circular **40W**
Warm White **60W**
Cool White
4-Pin

22W Overall Ø 210mm
32W Overall Ø 300mm
40W Overall Ø 400mm
60W Overall Ø 400mm
Tube Ø 29mm

NEW


04170	240	16	GR8	White 3500K	1050	Square 2-Pin	10000	40
04175	240	16	GR10q	White 3500K	1050	Square 4-Pin	10000	40
04183	240	16	GR8	Warm White 2700K	1050	Square 2-Pin	10000	40
04185	240	16	GR10q	Warm White 2700K	1050	Square 4-Pin	10000	40
04131	240	16	GR8	Cool White 4000K	1050	Square 2-Pin	10000	40
04133	240	16	GR10q	Cool White 4000K	1050	Square 4-Pin	10000	40



Square **16W**
White
Warm White
Cool White
2/4-Pin

H 135 W 135mm D 30mm

04171	240	28	GR8	White 3500K	2050	Square 2-Pin	10000	40
04176	240	28	GR10q	White 3500K	2050	Square 4-Pin	10000	40
04184	240	28	GR8	Warm White 2700K	2050	Square 2-Pin	10000	40
04186	240	28	GR10q	Warm White 2700K	2050	Square 4-Pin	10000	40
04132	240	28	GR8	Cool White 4000K	2050	Square 2-Pin	10000	40
04134	240	28	GR10q	Cool White 4000K	2050	Square 4-Pin	10000	40



Square **28W**
White
Warm White
Cool White
2/4-Pin

H 205 W 205mm D 30mm

04180	240	38	GR10q	White 3500K	2700	Square 4-Pin	10000	40
04187	240	38	GR10q	Warm White 2700K	2700	Square 4-Pin	10000	40
04135	240	38	GR10q	Cool White 4000K	2700	Square 4-Pin	10000	40



Square **38W**
White
Warm White
Cool White
4-Pin

H 205 W 205mm D 30mm

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE



Fluorescent Tubes

T4 • T5

Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
------	-------	-------	-----	--------	--------	-------------	-------	---------



6W 10W 16W 20W 30W T4 Tube

Measurement is from pin end to pin end.

Tube Ø 12mm

07125	240	6	2-Pin	White 3500K	300	232mm T4 Tubular	10000	10
07126	240	10	2-Pin	White 3500K	590	352mm T4 Tubular	10000	10
07127	240	16	2-Pin	White 3500K	980	480mm T4 Tubular	10000	10
07128	240	20	2-Pin	White 3500K	1250	578mm T4 Tubular	10000	10
07129	240	30	2-Pin	White 3500K	1860	762mm T4 Tubular	10000	10



4W 6W 8W 13W T5 Halophosphor Miniature Tube

Measurement is from pin end to pin end.

Tube Ø 16mm

NEW

05405	240	4	G5	White 3500K	150	150mm T5 Miniature	5000	10
05406	240	4	G5	Cool White 4000K	150	150mm T5 Miniature	5000	10
05407	240	6	G5	White 3500K	260	225mm T5 Miniature	5000	10
05408	240	6	G5	Cool White 4000K	260	225mm T5 Miniature	5000	10
05409	240	8	G5	White 3500K	380	300mm T5 Miniature	5000	10
05410	240	8	G5	Cool White 4000K	380	300mm T5 Miniature	5000	10
05411	240	13	G5	White 3500K	800	525mm T5 Miniature	5000	10
05412	240	13	G5	Cool White 4000K	800	525mm T5 Miniature	5000	10



14W 21W 28W 35W T5 Triphosphor Tube High Efficiency

Measurement is from pin end to pin end.

Tube Ø 16mm

NEW

05415	240	14	G5	Cool White 840	1200	549mm T5 Tubular	20000	40
05416	240	14	G5	Daylight 865	1100	549mm T5 Tubular	20000	40
05417	240	14	G5	White 835	1200	549mm T5 Tubular	20000	40
05418	240	21	G5	Cool White 840	2000	849mm T5 Tubular	20000	40
05419	240	21	G5	Daylight 865	1900	849mm T5 Tubular	20000	40
05420	240	21	G5	White 835	2000	849mm T5 Tubular	20000	40
05421	240	28	G5	Cool White 840	2600	1149mm T5 Tubular	20000	40
05422	240	28	G5	Daylight 865	2400	1149mm T5 Tubular	20000	40
05423	240	28	G5	White 835	2600	1149mm T5 Tubular	20000	40
05424	240	35	G5	Cool White 840	3300	1449mm T5 Tubular	20000	40
05425	240	35	G5	Daylight 865	3000	1449mm T5 Tubular	20000	40
05426	240	35	G5	White 835	3300	1449mm T5 Tubular	20000	40

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE



Code Volts Watts Cap Finish Lumens Description Hours Box Qty




05428	240	24	G5	Cool White 840	1755	549mm T5 Tubular	20000	40
05429	240	24	G5	Daylight 865	1600	549mm T5 Tubular	20000	40
05430	240	24	G5	White 835	1755	549mm T5 Tubular	20000	40
05431	240	39	G5	Cool White 840	3100	849mm T5 Tubular	20000	40
05432	240	39	G5	Daylight 865	2950	849mm T5 Tubular	20000	40
05433	240	39	G5	White 835	3100	849mm T5 Tubular	20000	40
05435	240	49	G5	Cool White 840	4300	1449mm T5 Tubular	20000	40
05436	240	49	G5	Daylight 865	4100	1449mm T5 Tubular	20000	40
05437	240	49	G5	White 835	4300	1449mm T5 Tubular	20000	40
05439	240	54	G5	Cool White 840	4950	1449mm T5 Tubular	20000	40
05440	240	54	G5	Daylight 865	4800	1449mm T5 Tubular	20000	40
05441	240	54	G5	White 835	4950	1449mm T5 Tubular	20000	40
05443	240	80	G5	Cool White 840	6500	1449mm T5 Tubular	20000	40
05444	240	80	G5	Daylight 865	6300	1449mm T5 Tubular	20000	40
05445	240	80	G5	White 835	6500	1449mm T5 Tubular	20000	40

T5 Triphosphor Tube High Output

Measurement is from pin end to pin end.

Tube Ø 16mm

**24W
39W
49W
54W
80W**



05447	240	15	G13	White 835	960	451mm T8 Tubular	20000	25
05448	240	15	G13	Cool White 840	960	451mm T8 Tubular	20000	25
05449	240	15	G13	Daylight 865	900	451mm T8 Tubular	20000	25
05551	240	18	G13	White 835	1350	600mm T8 Tubular	20000	25
05552	240	18	G13	Cool White 840	1350	600mm T8 Tubular	20000	25
05553	240	18	G13	Daylight 865	1300	600mm T8 Tubular	20000	25
05556	240	30	G13	White 835	2400	900mm T8 Tubular	20000	25
05557	240	30	G13	Cool White 840	2400	900mm T8 Tubular	20000	25
05558	240	30	G13	Daylight 865	2200	900mm T8 Tubular	20000	25
05560	240	36	G13	White 835	3350	1200mm T8 Tubular	20000	25
05561	240	36	G13	Cool White 840	3350	1200mm T8 Tubular	20000	25
05562	240	36	G13	Daylight 865	3100	1200mm T8 Tubular	20000	25
05565	240	58	G13	White 835	5220	1500mm T8 Tubular	20000	25
05566	240	58	G13	Cool White 840	5220	1500mm T8 Tubular	20000	25
05567	240	58	G13	Daylight 865	5000	1500mm T8 Tubular	20000	25
05570	240	70	G13	White 835	6300	1800mm T8 Tubular	20000	25
05571	240	70	G13	Cool White 840	6300	1800mm T8 Tubular	20000	25
05572	240	70	G13	Daylight 865	5700	1800mm T8 Tubular	20000	25

T8 Triphosphor Tube

Measurement is from pin end to pin end.

Tube Ø 26mm

**15W
18W
30W
36W
58W
70W**



WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE



LED Commercial

LV AR111 • LV MR16 G9 • Non-Dimmable GU10 • Strip Lamp • 2D LED

Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
------	-------	-------	-----	--------	--------	-------------	-------	---------

11W LV LED AR111
Cool White
Warm White

H 56mm Ø 111mm



05090	12	11	G53	Cool White 4000K	650	6 LED 24° Beam	30000	50
05091	12	11	G53	Warm White 3000K	600	6 LED 24° Beam	30000	50

11W Intensity LED approximately equivalent to light output of **75W** halogen bulb
Not Dimmable

5W LV LED MR16
Warm White
Cool White

H 45mm Ø 50mm



05185	12	5	GU5.3	Warm White 2700K	200	3 LED 38° Beam	30000	20
05186	12	5	GU5.3	Cool White 4000K	220	3 LED 38° Beam	30000	20

5W Intensity LED approximately equivalent to light output of **35W** halogen bulb
Not Dimmable

12V Intensity LED bulbs require a BELL Line Driver or quality branded transformer

05100 LED Line Driver Max. 10W 1

1.5W LED G9

H 45mm Ø 14mm

NEW



05171	240	1.5	G9	Warm White 3000K	110	G9 Capsule	20000	10
--------------	-----	-----	----	------------------	-----	------------	-------	----

1.5W Intensity LED approximately equivalent to light output of **15W** halogen bulb
Not Dimmable

4W LED GU10
Warm White
Cool White

H 55mm Ø 50mm



05121	240	4	GU10	Warm White 3000K	200	3 LED 38° Beam	30000	20
05122	240	4	GU10	Cool White 4000K	220	3 LED 38° Beam	30000	20

4W Intensity LED approximately equivalent to light output of **35W** halogen bulb
Not Dimmable

5W LED GU10
Warm White
Cool White

H 53mm Ø 50mm



05125	240	5	GU10	Warm White 2700K	300	CREE 3 LED 38° Beam	30000	20
05124	240	5	GU10	Cool White 4000K	350	CREE 3 LED 38° Beam	30000	20

5W Intensity LED approximately equivalent to light output of **50W** halogen bulb
Not Dimmable **New improved lumen output**



2.5W LED Opal Strip Lamp
Warm White

L 221mm Ø 28mm

NEW

4W LED Opal Strip Lamp
Warm White

L 284mm Ø 28mm

05156	240	2.5	S15	Warm White 3000K	200	LED Opal Strip 221mm	20000	50
05157	240	4	S15	Warm White 3000K	280	LED Opal Strip 284mm	20000	50

2.5W Intensity LED approximately equivalent to light output of **30W** standard strip light
4W Intensity LED approximately equivalent to light output of **60W** standard strip light
Not Dimmable

14W 2D LED
LED Replacement for CFL Square type lamp

Depth 29.1mm
Ø 209mm



05099	240	14	GR10q	White 3000K	1120	4-Pin Mutli LED 2D	30000	5
--------------	-----	----	-------	-------------	------	--------------------	-------	---

14W LED approximately equivalent to light output of **28W** CFL Square lamp
Not Dimmable
Requires hard wiring to mains **NEW**

Dimmable GU10 • AR111

LED Commercial



Code Volts Watts Cap Finish Lumens Description Hours Box Qty

05136	240	5	GU10	Warm White 2700K	210	3 LED 38° Beam	30000	75
05137	240	5	GU10	Cool White 5000K	220	3 LED 38° Beam	30000	75

5W Intensity LED approximately equivalent to light output of **50W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatability



Dimmable LED GU10 **5W**
 Warm White
 Cool White
 H 53mm Ø 50mm

05172	240	6	GU10	Warm White 2700K	400	4 LED 36° Beam	30000	100
05173	240	6	GU10	Cool White 5000K	450	4 LED 36° Beam	30000	100

6W Intensity LED approximately equivalent to light output of **60W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatability

NEW



Dimmable LED GU10 **6W**
 Warm White
 Cool White
 H 59mm Ø 50mm
Part L Compliant

05131	240	7	GU10	Warm White 2700K	300	5 LED 38° Beam	40000	75
05132	240	7	GU10	Cool White 4800K	336	5 LED 38° Beam	40000	75

7W Intensity LED approximately equivalent to light output of **50W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatability



Dimmable LED GU10 **7W**
 Warm White
 Cool White
 H 78mm Ø 50mm

05133	240	8	GU10	Warm White 2700K	400	5 LED 38° Beam	40000	75
05134	240	8	GU10	Cool White 4500K	500	5 LED 38° Beam	40000	75

8W Intensity LED approximately equivalent to light output of **75W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatability



Dimmable LED GU10 **8W**
 Warm White
 Cool White
 H 79mm Ø 50mm
Part L Compliant

04411	240	18	GU10	Warm White 2700K	900	6 LED 40° Beam	30000	50
-------	-----	----	------	------------------	-----	----------------	-------	----

18W Intensity LED approximately equivalent to light output of **100W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatability


NEW



Dimmable LED **18W**
6 LED AR111 GU10
40° Beam
 H 86mm Ø 111mm

Intensity LED Energy Saving Conversion Chart

Running cost of 5W Intensity LED against 35W and 50W Halogen lamps
 100 lamps on for 24hrs a day @ 9.12p/KWH





LED Decorative

Candle • GLS

3W LED Candle Opal Warm White

BC/B22
SBC/B15
SES/E14
BC: H103mm Ø 37mm
SES: H102mm Ø 37mm

NEW



Code Volts Watts Cap Finish Lumens Description Hours Box Qty

05057	240	3	BC/B22	Warm White 3000K	270	35mm LED Opal Candle	30000	50
05096	240	3	SBC/B15	Warm White 3000K	270	35mm LED Opal Candle	30000	50
05056	240	3	SES/E14	Warm White 3000K	270	35mm LED Opal Candle	30000	50

3W Intensity LED approximately equivalent to light output of **25W** halogen bulb
Not Dimmable

4W Dimmable LED Candle Clear Warm White Cool White

BC/B22
SBC/B15
SES/E14
ES/E27
H102mm Ø 37mm

NEW



05138	240	4	BC/B22	Warm White 2700K	250	35mm LED Clear Candle	30000	50
05144	240	4	SBC/B15	Warm White 2700K	250	35mm LED Clear Candle	30000	50
05139	240	4	SES/E14	Warm White 2700K	250	35mm LED Clear Candle	30000	50
05146	240	4	ES/E27	Warm White 2700K	250	35mm LED Clear Candle	30000	50
05075	240	4	BC/B22	Cool White 4000K	250	35mm LED Clear Candle	30000	50
05076	240	4	SBC/B15	Cool White 4000K	250	35mm LED Clear Candle	30000	50
05077	240	4	SES/E14	Cool White 4000K	250	35mm LED Clear Candle	30000	50
05115	240	4	ES/E27	Cool White 4000K	250	35mm LED Clear Candle	30000	50

4W Intensity LED approximately equivalent to light output of **25W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatability

6W LED GLS Pearl Warm White Cool White

BC/B22
ES/E27
H100mm Ø 60mm

NEW



05116	240	6	BC/B22	Warm White 2700K	470	LED Pearl GLS	30000	50
05117	240	6	ES/E27	Warm White 2700K	470	LED Pearl GLS	30000	50
05118	240	6	BC/B22	Cool White 4000K	470	LED Pearl GLS	30000	50
05119	240	6	ES/E27	Cool White 4000K	470	LED Pearl GLS	30000	50

6W Intensity LED approximately equivalent to light output of **40W** halogen bulb
Not Dimmable

8W Dimmable LED GLS Pearl Warm White Cool White

BC/B22
ES/E27
H105mm Ø 60mm

NEW



05166	240	8	BC/B22	Warm White 2700K	600	LED Pearl GLS	30000	50
05167	240	8	ES/E27	Warm White 2700K	600	LED Pearl GLS	30000	50
05168	240	8	BC/B22	Cool White 4000K	600	LED Pearl GLS	30000	50
05169	240	8	ES/E27	Cool White 4000K	600	LED Pearl GLS	30000	50

8W Intensity LED approximately equivalent to light output of **60W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatability



Code Volts Watts Cap Finish Lumens Description Hours Box Qty

05102	240	3	BC/B22	Warm White 3000K	270	45mm LED Opal Round	30000	50
05103	240	3	SES/E14	Warm White 3000K	270	45mm LED Opal Round	30000	50
05104	240	3	ES/E27	Warm White 3000K	270	45mm LED Opal Round	30000	50



NEW

LED Round Opal Warm White **3W**
 BC/B22
 SES/E14
 ES/E27
 H 65mm Ø 45mm

3W Intensity LED approximately equivalent to light output of **25W** halogen bulb
Not Dimmable

05187	240	4	BC/B22	Warm White 2700K	250	45mm LED Clear Round	30000	50
05184	240	4	SBC/B15	Warm White 2700K	250	45mm LED Clear Round	30000	50
05189	240	4	SES/E14	Warm White 2700K	250	45mm LED Clear Round	30000	50
05188	240	4	ES/E27	Warm White 2700K	250	45mm LED Clear Round	30000	50
05147	240	4	BC/B22	Cool White 4000K	250	45mm LED Clear Round	30000	50
05158	240	4	SBC/B15	Cool White 4000K	250	45mm LED Clear Round	30000	50
05149	240	4	SES/E14	Cool White 4000K	250	45mm LED Clear Round	30000	50
05148	240	4	ES/E27	Cool White 4000K	250	45mm LED Clear Round	30000	50



NEW

Dimmable LED Round Clear Warm White Cool White **4W**
 BC/B22
 SBC/B15
 SES/E14
 ES/E27
 BC/ES H 71mm Ø 45mm
 SES H 78mm Ø 45mm
 SBC H 75mm Ø 45mm

4W Intensity LED approximately equivalent to light output of **25W** halogen bulb
Dimmable Contact Customer Services for maximum loading and dimmer compatibility

05080	240	1	BC/B22	Blue	N/A	Power LED G45 Round	20000	20
05081	240	1	BC/B22	White	N/A	Power LED G45 Round	20000	20
05082	240	1	BC/B22	Red	N/A	Power LED G45 Round	20000	20
05083	240	1	BC/B22	Green	N/A	Power LED G45 Round	20000	20
05084	240	1	BC/B22	Amber	N/A	Power LED G45 Round	20000	20



Round LED Coloured **1W**
 BC/B22
 H 70mm Ø 45mm

Not Dimmable

05079	240	1	BC/B22	Red-Blue-Green	N/A	Power LED G45 Round	20000	20
-------	-----	---	--------	----------------	-----	---------------------	-------	----



Round LED Colour Change **1W**
 BC/B22
 H 70mm Ø 45mm

Not Dimmable

05065	240	1.5	GU10	White	60	Power 20 LED GU10	20000	100
05067	240	1.5	GU10	Red	10	Power 20 LED GU10	20000	100
05068	240	1.5	GU10	Amber	20	Power 20 LED GU10	20000	100
05066	240	1.5	GU10	Blue	10	Power 20 LED GU10	20000	100
05069	240	1.5	GU10	Green	40	Power 20 LED GU10	20000	100



20 LED GU10 Coloured **1.5W**
 H 57mm Ø 50mm

Not Dimmable

03889	240	1.8	GU10	Red-Green-Blue	N/A	Power 21 LED GU10	20000	100
-------	-----	-----	------	----------------	-----	-------------------	-------	-----




21 LED GU10 Colour Change **1.8W**
 H 57mm Ø 50mm

Not Dimmable



HALOGEN SAVERS with a **TWIST!**




Replace traditional bulbs with BELL Energy Saving Adaptors to give a soft warm glow in decorative fittings.

Re-use the adaptor again and againjust change the G9 bulb.

Just add a cover of your choice
(see opposite page)

Patent No. GB2469098
Registered Design No. 001164974



BC SBC SES ES
caps available

- **Dimmable**
- **Energy Saving**
- **Long Life**



Adaptors can be used with or without a cover



G9 Adaptor+ Bulb

25W Halogen
40W G9 Adaptor
60W
BC/B22
SBC/B15
SES/E14
ES/E27
H 73mm Ø 27mm



Code	Volts	Watts	Cap	Description	Hours	Box Qty
05309	240	25	BC/B22	G9→BC/B22 Adaptor	2000	50
05310	240	25	SBC/B15	G9→SBC/B15 Adaptor	2000	50
05311	240	25	SES/E14	G9→SES/E14 Adaptor	2000	50
05308	240	25	ES/E27	G9→ES/E27 Adaptor	2000	50
05317	240	40	BC/B22	G9→BC/B22 Adaptor	2000	50
05318	240	40	SBC/B15	G9→SBC/B15 Adaptor	2000	50
05319	240	40	SES/E14	G9→SES/E14 Adaptor	2000	50
05316	240	40	ES/E27	G9→ES/E27 Adaptor	2000	50
05340	240	60	BC/B22	G9→BC/B22 Adaptor	2000	50
05341	240	60	ES/E27	G9→ES/E27 Adaptor	2000	50

25W Halogen equivalent to light output of **40W** GLS

40W Halogen equivalent to light output of **60W** GLS

60W Halogen equivalent to light output of **100W** GLS

18W Class "C"
28W Energy Saving
42W Halogen
G9 Adaptor
BC/B22
SBC/B15
SES/E14
ES/E27
H 73mm Ø 27mm

SOON



05275	240	18	BC/B22	G9→BC/B22 Adaptor	2000	50
05276	240	18	SBC/B15	G9→SBC/B15 Adaptor	2000	50
05277	240	18	SES/E14	G9→SES/E14 Adaptor	2000	50
05274	240	18	ES/E27	G9→ES/E27 Adaptor	2000	50
05279	240	28	BC/B22	G9→BC/B22 Adaptor	2000	50
05280	240	28	SBC/B15	G9→SBC/B15 Adaptor	2000	50
05281	240	28	SES/E14	G9→SES/E14 Adaptor	2000	50
05278	240	28	ES/E27	G9→ES/E27 Adaptor	2000	50
05283	240	42	BC/B22	G9→BC/B22 Adaptor	2000	50
05284	240	42	SBC/B15	G9→SBC/B15 Adaptor	2000	50
05285	240	42	SES/E14	G9→SES/E14 Adaptor	2000	50
05282	240	42	ES/E27	G9→ES/E27 Adaptor	2000	50

18W Halogen equivalent to light output of **25W** GLS

28W Halogen equivalent to light output of **40W** GLS

42W Halogen equivalent to light output of **60W** GLS



Code	Finish	Description	Box Qty		
05296	Clear	35mm Candle Adaptor Cover	50		35mm Plain Candle G9 Adaptor Clear Cover Soft Tone Cover Opal Cover Amber Cover H 75mm Ø 35mm
05257	Soft Tone	35mm Candle Adaptor Cover	50		
05350	Opal	35mm Candle Adaptor Cover	50		
05235	Red	35mm Candle Adaptor Cover	50		
05236	Green	35mm Candle Adaptor Cover	50		
05237	Yellow	35mm Candle Adaptor Cover	50		
05238	Blue	35mm Candle Adaptor Cover	50		
05348	Amber	35mm Candle Adaptor Cover	50		
05297	Clear	45mm Round Adaptor Cover	50		45mm Round G9 Adaptor Clear Cover Soft Tone Cover Opal Cover Coloured Covers H 45mm Ø 45mm
05258	Soft Tone	45mm Round Adaptor Cover	50		
05351	Opal	45mm Round Adaptor Cover	50		
05239	Red	45mm Round Adaptor Cover	50		
05240	Green	45mm Round Adaptor Cover	50		
05241	Yellow	45mm Round Adaptor Cover	50		
05242	Blue	45mm Round Adaptor Cover	50		
05243	Amber	45mm Round Adaptor Cover	50		
05295	Clear	Candelux Adaptor Cover	50		Candelux G9 Adaptor Clear Cover Soft Tone Cover Amber Tip Cover H 90mm Ø 35mm
05256	Soft Tone	Candelux Adaptor Cover	50		
05339	Amber Tip	Candelux Adaptor Cover	50		
05337	Frosted	Twisted Candle Adaptor Cover	50		Twisted Candle G9 Adaptor Frosted Cover Gold Cover H 75mm Ø 35mm
05338	Gold	Twisted Candle Adaptor Cover	50		
05349	Frosted	Large Twisted Candle Adaptor Cover	50		Large Twisted Candle G9 Adaptor Frosted Cover H 90mm Ø 43mm
05299	Clear	60mm Household GLS Adaptor Cover	50		60mm Household GLS G9 Adaptor Clear Cover Soft Tone Cover Coloured Covers H 82mm Ø 60mm
05260	Soft Tone	60mm Household GLS Adaptor Cover	50		
05230	Red	60mm Household GLS Adaptor Cover	50		
05231	Green	60mm Household GLS Adaptor Cover	50		
05232	Yellow	60mm Household GLS Adaptor Cover	50		
05233	Blue	60mm Household GLS Adaptor Cover	50		
05234	Amber	60mm Household GLS Adaptor Cover	50		
05298	Clear	60mm Mini Globe Adaptor Cover	50		60mm Mini Globe G9 Adaptor Clear Cover Soft Tone Cover Gold Cover H 70mm Ø 60mm
05259	Soft Tone	60mm Mini Globe Adaptor Cover	50		
05330	Gold	60mm Mini Globe Adaptor Cover	50		
05332	Soft Tone	95mm Globe Adaptor Cover	50		95mm Globe G9 Adaptor Soft Tone Cover H 120mm Ø 95mm
05335	Opal Diffused	R50 Reflector Spot Adaptor Cover	50		R50 R63 R80 G9 Adaptor Spot Covers R50 H 60mm Ø 50mm R63 H 70mm Ø 63mm R80 H 85mm Ø 80mm
05334	Opal Diffused	R63 Reflector Spot Adaptor Cover	50		
05336	Opal Diffused	R80 Reflector Spot Adaptor Cover	50		



Halogen Energy Saver Decorative Household

Candle • GLS 45mm Round

18W 28W 42W Class "C" Energy Saving Candle

BC/B22
SBC/B15
SES/E14
ES/E27
H105mm Ø35mm



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
05190	240	18	BC/B22	Clear	35mm Halogen E/S Candle	2000	50
05191	240	18	SBC/B15	Clear	35mm Halogen E/S Candle	2000	50
05192	240	18	SES/E14	Clear	35mm Halogen E/S Candle	2000	50
05193	240	18	ES/E27	Clear	35mm Halogen E/S Candle	2000	50
05200	240	28	BC/B22	Clear	35mm Halogen E/S Candle	2000	50
05201	240	28	SBC/B15	Clear	35mm Halogen E/S Candle	2000	50
05202	240	28	SES/E14	Clear	35mm Halogen E/S Candle	2000	50
05203	240	28	ES/E27	Clear	35mm Halogen E/S Candle	2000	50
05204	240	42	BC/B22	Clear	35mm Halogen E/S Candle	2000	50
05205	240	42	SBC/B15	Clear	35mm Halogen E/S Candle	2000	50
05206	240	42	SES/E14	Clear	35mm Halogen E/S Candle	2000	50
05207	240	42	ES/E27	Clear	35mm Halogen E/S Candle	2000	50

18W Halogen Energy Saving Candle equivalent to light output of **25W** candle bulb
28W Halogen Energy Saving Candle equivalent to light output of **40W** candle bulb
42W Halogen Energy Saving Candle equivalent to light output of **60W** candle bulb

28W 42W 70W Class "C" Energy Saving GLS

BC/B22
ES/E27
H 103mm Ø 60mm



05208	240	28	BC/B22	Clear	60mm Halogen E/S GLS	2000	50
05209	240	28	ES/E27	Clear	60mm Halogen E/S GLS	2000	50
05210	240	42	BC/B22	Clear	60mm Halogen E/S GLS	2000	50
05211	240	42	ES/E27	Clear	60mm Halogen E/S GLS	2000	50
05212	240	70	BC/B22	Clear	60mm Halogen E/S GLS	2000	50
05213	240	70	ES/E27	Clear	60mm Halogen E/S GLS	2000	50

28W Halogen Energy Saving GLS equivalent to light output of **40W** GLS bulb
42W Halogen Energy Saving GLS equivalent to light output of **60W** GLS bulb
70W Halogen Energy Saving GLS equivalent to light output of **100W** GLS bulb

18W 28W 42W Class "C" Energy Saving Round

BC/B22
SBC/B15
SES/E14
ES/E27
H70mm Ø45mm



05216	240	18	BC/B22	Clear	45mm Halogen E/S Round	2000	50
05217	240	18	SBC/B15	Clear	45mm Halogen E/S Round	2000	50
05218	240	18	SES/E14	Clear	45mm Halogen E/S Round	2000	50
05219	240	18	ES/E27	Clear	45mm Halogen E/S Round	2000	50
05221	240	28	BC/B22	Clear	45mm Halogen E/S Round	2000	50
05222	240	28	SBC/B15	Clear	45mm Halogen E/S Round	2000	50
05223	240	28	SES/E14	Clear	45mm Halogen E/S Round	2000	50
05224	240	28	ES/E27	Clear	45mm Halogen E/S Round	2000	50
05226	240	42	BC/B22	Clear	45mm Halogen E/S Round	2000	50
05227	240	42	SBC/B15	Clear	45mm Halogen E/S Round	2000	50
05228	240	42	SES/E14	Clear	45mm Halogen E/S Round	2000	50
05229	240	42	ES/E27	Clear	45mm Halogen E/S Round	2000	50

18W Halogen Energy Saving Round equivalent to light output of **25W** round bulb
28W Halogen Energy Saving Round equivalent to light output of **40W** round bulb
42W Halogen Energy Saving Round equivalent to light output of **60W** round bulb

12V MR16 • 240V GU10 MV Capsule • Linear



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
04061	12	25	GU5.3	Clear	Halogen E/S M281E Flood Beam	4000	100
04055	12	35	GU5.3	Clear	Halogen E/S M258E Flood Beam	4000	100
04058	12	35	GU5.3	Clear	Halogen E/S M280E Wide Flood Beam	4000	100

25W Halogen Energy Saving MR16 equivalent to light output of **35W** standard MR16
35W Halogen Energy Saving MR16 equivalent to light output of **50W** standard MR16



Energy Saving Aluminium MR16
25W 35W
 H 45mm Ø 50mm

04069	240	25	GU10	Clear	Halogen E/S GU10 Wide Flood	2500	150
04070	240	35	GU10	Clear	Halogen E/S GU10 Wide Flood	2500	150

25W Halogen Energy Saving GU10 equivalent to light output of **35W** GU10 bulb
35W Halogen Energy Saving GU10 equivalent to light output of **50W** GU10 bulb



Energy Saving Aluminium GU10
25W 35W
 H 57mm Ø 50mm

04079	240	18	G9	Clear	Halogen E/S Capsule	2000	100
04080	240	28	G9	Clear	Halogen E/S Capsule	2000	100
04081	240	42	G9	Clear	Halogen E/S Capsule	2000	100

18W Halogen Energy Saving G9 capsule equivalent to light output of **25W** standard G9
28W Halogen Energy Saving G9 capsule equivalent to light output of **40W** standard G9
42W Halogen Energy Saving G9 capsule equivalent to light output of **60W** standard G9



Class "C" Energy Saving MV Capsule
18W 28W 42W
 H 47mm Ø 13mm

03841	240	80	R7s	Clear	78mm Halogen E/S Linear	2000	100
03842	240	120	R7s	Clear	78mm Halogen E/S Linear	2000	100

80W Halogen Energy Saving Linear equivalent to light output of **100W** linear bulb
120W Halogen Energy Saving Linear equivalent to light output of **150W** linear bulb



Class "C" Energy Saving 78mm R7s Linear
80W 120W
 L 78mm W 12mm

03847	240	80	R7s	Clear	117mm Halogen E/S Linear	2000	100
03843	240	120	R7s	Clear	117mm Halogen E/S Linear	2000	100
03844	240	160	R7s	Clear	117mm Halogen E/S Linear	2000	100
03845	240	230	R7s	Clear	117mm Halogen E/S Linear	2000	100
03846	240	400	R7s	Clear	117mm Halogen E/S Linear	2000	100

80W Halogen Energy Saving Linear equivalent to light output of **100W** linear bulb
120W Halogen Energy Saving Linear equivalent to light output of **150W** linear bulb
160W Halogen Energy Saving Linear equivalent to light output of **200W** linear bulb
230W Halogen Energy Saving Linear equivalent to light output of **300W** linear bulb
400W Halogen Energy Saving Linear equivalent to light output of **500W** linear bulb



Class "C" Energy Saving 117mm R7s Linear
80W 120W 160W 230W 400W
 L 117mm W 12mm



Halogen Spotlight LV

AR111 • 35mm & 50mm Dichroic 50mm Aluminium

35W AR111
50W Halogen
75W Spot Lamp
100W
 G53
 H 67mm Ø 111mm



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
04404	12	35	G53	Clear UV Block C/G	AR111 24° Beam Angle	3000	50
04400	12	50	G53	Clear UV Block C/G	AR111 8° Beam Angle	3000	50
04405	12	50	G53	Clear UV Block C/G	AR111 24° Beam Angle	3000	50
04408	12	50	G53	Clear UV Block C/G	AR111 45° Beam Angle	3000	50
04401	12	75	G53	Clear UV Block C/G	AR111 8° Beam Angle	3000	50
04406	12	75	G53	Clear UV Block C/G	AR111 24° Beam Angle	3000	50
04409	12	75	G53	Clear UV Block C/G	AR111 45° Beam Angle	3000	50
04402	12	100	G53	Clear UV Block C/G	AR111 8° Beam Angle	3000	50
04407	12	100	G53	Clear UV Block C/G	AR111 24° Beam Angle	3000	50
04410	12	100	G53	Clear UV Block C/G	AR111 45° Beam Angle	3000	50

10W 35mm
20W Dichroic
35W Clear
 GU4
 H 35mm Ø 35mm



04050	12	10	GU4	Clear UV Block C/G	M200 Wide Flood Beam	2000	100
04030	12	20	GU4	Clear UV Block C/G	M252 Spot Beam	2000	100
04020	12	20	GU4	Clear UV Block C/G	M251 Medium Beam	2000	100
04040	12	20	GU4	Clear UV Block C/G	M262 Flood Beam	2000	100
04041	12	20	GU4	Clear UV Block C/G	M221 Wide Flood Beam	2000	100
04000	12	35	GU4	Clear UV Block C/G	M265 Spot Beam	2000	100
04010	12	35	GU4	Clear UV Block C/G	M266 Medium Beam	2000	100
04011	12	35	GU4	Clear UV Block C/G	M170 Flood Beam	2000	100
04015	12	35	GU4	Clear UV Block C/G	M223 Wide Flood Beam	2000	100

20W 50mm
35W Dichroic
50W Clear/Coloured
 GU5.3
 H 45mm Ø 50mm



03901	12	20	GU5.3	Clear UV Block C/G	M268 Spot Beam	5000	100
03905	12	20	GU5.3	Clear UV Block C/G	M294 Medium Beam	5000	100
03911	12	20	GU5.3	Clear UV Block C/G	M269 Flood Beam	5000	100
03915	12	20	GU5.3	Clear UV Block C/G	M290 Wide Flood Beam	5000	100
03931	12	35	GU5.3	Clear UV Block C/G	M271 Spot Beam	5000	100
03921	12	35	GU5.3	Clear UV Block C/G	M270 Medium Beam	5000	100
03971	12	35	GU5.3	Clear UV Block C/G	M281 Flood Beam	5000	100
03981	12	35	GU5.3	Clear UV Block C/G	M224 Wide Flood Beam	5000	100
03941	12	50	GU5.3	Clear UV Block C/G	M249 Spot Beam	5000	100
03951	12	50	GU5.3	Clear UV Block C/G	M250 Medium Beam	5000	100
03961	12	50	GU5.3	Clear UV Block C/G	M258 Flood Beam	5000	100
03966	12	50	GU5.3	Clear UV Block C/G	M280 Wide Flood Beam	5000	100
03995	12	50	GU5.3	Red	M258 Flood Beam	3000	100
03998	12	50	GU5.3	Yellow	M258 Flood Beam	3000	100
03997	12	50	GU5.3	Blue	M258 Flood Beam	3000	100
03996	12	50	GU5.3	Green	M258 Flood Beam	3000	100
03993	12	50	GU5.3	Amber	M258 Flood Beam	3000	100

20W 50mm
35W Aluminium
50W
 GU5.3
 H 45mm Ø 50mm



03913	12	20	GU5.3	Clear UV Block C/G	Alumin. M269 Flood Beam	5000	100
03973	12	35	GU5.3	Clear UV Block C/G	Alumin. M281 Flood Beam	5000	100
03963	12	50	GU5.3	Clear UV Block C/G	Alumin. M258 Flood Beam	5000	100
03967	12	50	GU5.3	Clear UV Block C/G	Alumin. M280 Wide Flood Beam	5000	100

Suitable for Fire Rated Fittings

LV Capsules • 240V GU10 2500/5000 Hours MV Capsules

Halogen Spotlight LV/MV



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
04090	12	5	G4	Clear UV Block	M9 Capsule	2000	100
04120	12	10	G4	Clear UV Block	M91 Capsule	2000	100
04100	12	20	G4	Clear UV Block	M47 Capsule	2000	100



LV Capsule UV Block
G4
20W
H 30mm W 8mm

04129	12	20	GY6-35	Clear UV Block	M76 Capsule	2000	100
04130	12	35	GY6-35	Clear UV Block	M75 Capsule	2000	100
04110	12	50	GY6-35	Clear UV Block	M32 Capsule	2000	100



LV Capsule UV Block
GY6-35
20W
35W
50W
H 48mm W 10mm

03853	240	20	GU10	Clear	25° Flood Beam GU10	2500	150
03855	240	20	GU10	Clear	50° Wide Flood Beam GU10	2500	150
03871	240	35	GU10	Clear	25° Flood Beam GU10	2500	150
03872	240	35	GU10	Clear	50° Wide Flood Beam GU10	2500	150
03860	240	50	GU10	Clear	25° Flood Beam GU10	2500	150
03870	240	50	GU10	Clear	50° Wide Flood Beam GU10	2500	150
03857	240	75	GU10	Clear	50° Wide Flood Beam GU10	2500	150
03882	240	50	GU10	Red	50° Wide Flood Beam GU10	2500	150
03883	240	50	GU10	Yellow	50° Wide Flood Beam GU10	2500	150
03880	240	50	GU10	Blue	50° Wide Flood Beam GU10	2500	150
03881	240	50	GU10	Green	50° Wide Flood Beam GU10	2500	150
03879	240	50	GU10	Amber	50° Wide Flood Beam GU10	2500	150



GU10 Clear/Coloured
2500 hours
20W
35W
50W
75W

20,35,50W
H 57mm Ø 50mm
75W
H 65mm Ø 64mm



03856	240	20	GU10	Clear	50° Wide Flood Beam GU10	5000	150
03863	240	35	GU10	Clear	50° Wide Flood Beam GU10	5000	150
03858	240	50	GU10	Clear	50° Wide Flood Beam GU10	5000	150



GU10 Clear
5000 Hours
20W
35W
50W

H 57mm Ø 50mm

05019	240	25	G9	Clear	Capsule	2000	100
05023	240	40	G9	Clear	Capsule	2000	100
05027	240	60	G9	Clear	Capsule	2000	100



MV Capsule Clear
G9
25W
40W
60W
H 47mm W 13mm

Note: Available while stocks last (EU Regulations)

05021	240	25	G9	Frosted	Capsule	2000	100
05025	240	40	G9	Frosted	Capsule	2000	100
05029	240	60	G9	Frosted	Capsule	2000	100



MV Capsule Frosted
G9
25W
40W
60W
H 47mm W 13mm

Note: Available while stocks last (EU Regulations)



Halogen Linear/Reflector


Linear 110V • Infra-red Heat Lamps Reflector Spot/Flood



200W 110V
300W 117mm
500W R7s Linear
Clear

L 117mm W 12mm

Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
03796	110	200	R7	Clear	117mm R7s Linear	3000	100
03797	110	300	R7	Clear	117mm R7s Linear	3000	100
03798	110	500	R7	Clear	117mm R7s Linear	3000	100



1300W Infra-red
Gold / Ruby
Heat Lamp

L 254mm Ø 12mm

05250	240	1300	R7S	Gold	254mm Infra-red Heat Lamp Glare reduction Gold Coat	5000	50
05255	240	1300	R7S	Ruby	254mm Infra-red Heat Lamp	5000	50

40W R50
Clear
Spot/Flood

SES/E14

H 53mm Ø 50mm



05042	240	40	SES/E14	Clear	R50 PAR 16 Reflector Spot	3000	50
05050	240	40	SES/E14	Clear	R50 PAR 16 Reflector Flood	3000	50

50W R64
Clear
Spot/Flood

ES/E27

H 91mm Ø 64mm



05043	240	50	ES/E27	Clear	R64 PAR 20 Reflector Spot	3000	50
05051	240	50	ES/E27	Clear	R64 PAR 20 Reflector Flood	3000	50

50W R80
75W Clear
Spot/Flood

ES/E27

H 95mm Ø 80mm



05044	240	50	ES/E27	Clear	R80 PAR 25 Reflector Spot	3000	50
05045	240	75	ES/E27	Clear	R80 PAR 25 Reflector Spot	3000	50
05054	240	50	ES/E27	Clear	R80 PAR 25 Reflector Flood	3000	50
05052	240	75	ES/E27	Clear	R80 PAR 25 Reflector Flood	3000	50

75W R95
100W Clear
Spot/Flood

ES/E27

H 98mm Ø 95mm



05046	240	75	ES/E27	Clear	R95 PAR 30 Reflector Spot	3000	50
05047	240	100	ES/E27	Clear	R95 PAR 30 Reflector Spot	3000	50
05053	240	75	ES/E27	Clear	R95 PAR 30 Reflector Flood	3000	50
05049	240	100	ES/E27	Clear	R95 PAR 30 Reflector Flood	3000	50

LED Decorative Range

The bright alternative



- 35mm Candle
- 45mm Round
- 60mm GLS

- Up to 80% Energy Saving
- Long Life
- Window Packaging

See pages 22-23



Incandescent Decorative Household

35mm Plain Candles

25W
40W
60W

Tough Lamp
3000 Hours
35mm Candle

Opal

BC/B22
SBC/B15
SES/E14
ES/E27

BC/ES H 90 Ø 35mm
SBC/SES H 98 Ø 35mm

NEW



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
00141	240/50	25	BC/B22	Opal	175	35mm Plain Candle Tough Lamp	3000	50
00131	240/50	25	SBC/B15	Opal	175	35mm Plain Candle Tough Lamp	3000	50
00151	240/50	25	SES/E14	Opal	175	35mm Plain Candle Tough Lamp	3000	50
00156	240/50	25	ES/E27	Opal	175	35mm Plain Candle Tough Lamp	3000	50
00171	240/50	40	BC/B22	Opal	330	35mm Plain Candle Tough Lamp	3000	50
00161	240/50	40	SBC/B15	Opal	330	35mm Plain Candle Tough Lamp	3000	50
00181	240/50	40	SES/E14	Opal	330	35mm Plain Candle Tough Lamp	3000	50
00186	240/50	40	ES/E27	Opal	330	35mm Plain Candle Tough Lamp	3000	50
00201	240/50	60	BC/B22	Opal	580	35mm Plain Candle Tough Lamp	3000	50
00191	240/50	60	SBC/B15	Opal	580	35mm Plain Candle Tough Lamp	3000	50
00211	240/50	60	SES/E14	Opal	580	35mm Plain Candle Tough Lamp	3000	50
00216	240/50	60	ES/E27	Opal	580	35mm Plain Candle Tough Lamp	3000	50

SPECIAL APPLICATION

25W
40W
60W

1000 Hours
35mm Candle
Clear

BC/B22
SBC/B15
SES/E14
ES/E27

BC/ES H 90 Ø 35mm
SBC/SES H 98 Ø 35mm



00020	240	25	BC/B22	Clear		35mm Plain Candle	1000	50
00010	240	25	SBC/B15	Clear		35mm Plain Candle	1000	50
00030	240	25	SES/E14	Clear		35mm Plain Candle	1000	50
00035	240	25	ES/E27	Clear		35mm Plain Candle	1000	50
00050	240	40	BC/B22	Clear		35mm Plain Candle	1000	50
00040	240	40	SBC/B15	Clear		35mm Plain Candle	1000	50
00060	240	40	SES/E14	Clear		35mm Plain Candle	1000	50
00065	240	40	ES/E27	Clear		35mm Plain Candle	1000	50
00080	240	60	BC/B22	Clear		35mm Plain Candle	1000	50
00070	240	60	SBC/B15	Clear		35mm Plain Candle	1000	50
00090	240	60	SES/E14	Clear		35mm Plain Candle	1000	50
00095	240	60	ES/E27	Clear		35mm Plain Candle	1000	50

Note: Available while stocks last (EU Regulations)

25W
40W
60W

Tough Lamp
3000 Hours
35mm Candle
Clear

BC/B22
SBC/B15
SES/E14
ES/E27

BC/ES H 90 Ø 35mm
SBC/SES H 98 Ø 35mm

NEW



00021	240/50	25	BC/B22	Clear	200	35mm Plain Candle Tough Lamp	3000	50
00013	240/50	25	SBC/B15	Clear	200	35mm Plain Candle Tough Lamp	3000	50
00031	240/50	25	SES/E14	Clear	200	35mm Plain Candle Tough Lamp	3000	50
00036	240/50	25	ES/E27	Clear	200	35mm Plain Candle Tough Lamp	3000	50
00051	240/50	40	BC/B22	Clear	350	35mm Plain Candle Tough Lamp	3000	50
00041	240/50	40	SBC/B15	Clear	350	35mm Plain Candle Tough Lamp	3000	50
00061	240/50	40	SES/E14	Clear	350	35mm Plain Candle Tough Lamp	3000	50
00066	240/50	40	ES/E27	Clear	350	35mm Plain Candle Tough Lamp	3000	50
00081	240/50	60	BC/B22	Clear	600	35mm Plain Candle Tough Lamp	3000	50
00071	240/50	60	SBC/B15	Clear	600	35mm Plain Candle Tough Lamp	3000	50
00091	240/50	60	SES/E14	Clear	600	35mm Plain Candle Tough Lamp	3000	50
00096	240/50	60	ES/E27	Clear	600	35mm Plain Candle Tough Lamp	3000	50

SPECIAL APPLICATION

35mm/45mm Decorative Candles

Incandescent Decorative Household



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
00470	240	25	BC/B22	Clear	35mm Twisted Candle	1000	50
00450	240	25	SBC/B15	Clear	35mm Twisted Candle	1000	50
00520	240	40	BC/B22	Clear	35mm Twisted Candle	1000	50
00540	240	40	SES/E14	Clear	35mm Twisted Candle	1000	50
00570	240	60	BC/B22	Clear	35mm Twisted Candle	1000	50



35mm Twisted Candle Clear

25W
40W
60W
BC/B22
SBC/B15
SES/E14
H 90 Ø 35mm
SBC/SES H 98 Ø 35mm

Note: Available while stocks last (EU Regulations)

00480	240	25	BC/B22	Frosted	35mm Twisted Candle	1000	50
-------	-----	----	--------	---------	---------------------	------	----



35mm Twisted Candle Frosted

25W
BC/B22
H 90 Ø 35mm

Note: Available while stocks last (EU Regulations)

00950	240	40	BC/B22	Clear	45mm Plain Candle	2000	50
00920	240	40	SBC/B15	Clear	45mm Plain Candle	2000	50
01010	240	60	BC/B22	Clear	45mm Plain Candle	2000	50
00980	240	60	SBC/B15	Clear	45mm Plain Candle	2000	50



45mm Candle Clear

40W
60W
BC/B22
SBC/B15
H 135mm Ø 45mm

Note: Available while stocks last (EU Regulations)

00930	240	40	SBC/B15	Frosted	45mm Plain Candle	2000	50
-------	-----	----	---------	---------	-------------------	------	----



45mm Candle Frosted

40W
SBC/B15
H 135mm Ø 45mm

Note: Available while stocks last (EU Regulations)



Incandescent Decorative Household

46mm Decorative Candles Lantern • Bent Tip Candelux

40W 46mm Candle 60W Twisted Clear

BC/B22
SBC/B15
H 130mm Ø 46mm



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
01120	240	40	BC/B22	Clear		46mm Twisted Candle	2000	50
01100	240	40	SBC/B15	Clear		46mm Twisted Candle	2000	50
01180	240	60	BC/B22	Clear		46mm Twisted Candle	2000	50
01140	240	60	SBC/B15	Clear		46mm Twisted Candle	2000	50

Note: Available while stocks last (EU Regulations)

60W Tough Lamp 3000 Hours 46mm Twisted Frosted Candle

BC/B22
H 130mm Ø 46mm



01191	240/50	60	BC/B22	Frosted	585	Twisted Frosted Candle Tough Lamp	3000	50
-------	--------	----	--------	---------	-----	-----------------------------------	------	----

SPECIAL APPLICATION



NEW

55W Lantern Gold Tinted

BC/B22
ES/E27
H 122mm Ø 42mm



01460	240	55	BC/B22	Gold Tinted		Lantern Candle	2000	50
01470	240	55	ES/E27	Gold Tinted		Lantern Candle	2000	50

SPECIAL APPLICATION



25W Candelux 40W Bent Tip 60W Clear

BC/B22
SBC/B15
SES/E14
H 110mm Ø 35mm



00795	240	25	BC/B22	Clear		Candelux Long Life	2000	50
00835	240	25	SBC/B15	Clear		Candelux Long Life	2000	50
00880	240	25	SES/E14	Clear		Candelux Long Life	2000	50
00800	240	40	BC/B22	Clear		Candelux Long Life	2000	50
00840	240	40	SBC/B15	Clear		Candelux Long Life	2000	50
00882	240	40	SES/E14	Clear		Candelux Long Life	2000	50
00820	240	60	BC/B22	Clear		Candelux Long Life	2000	50
00884	240	60	SES/E14	Clear		Candelux Long Life	2000	50

Note: Available while stocks last (EU Regulations)

40W Twisted Candelux Bent Tip Gold

BC/B22
SES/E14
H 110mm Ø 35mm



00891	240	40	BC/B22	Gold		Twisted Candelux Long Life	2000	50
00895	240	40	SES/E14	Gold		Twisted Candelux Long Life	2000	50

Note: Available while stocks last (EU Regulations)

Chandelier • Flicker Church • Antique

Incandescent Decorative Household



Code Volts Watts Cap Finish Description Hours Box Qty

01381	240	15	SBC/B15	Clear	Chandelier Candle	2000	50
01382	240	15	SES/E14	Clear	Chandelier Candle	2000	50
01380	240	15	MES/E10	Clear	Chandelier Candle	2000	50

SPECIAL APPLICATION



Chandelier Clear 15W

SBC/B15
SES/E14
MES/E10

H 90mm Ø 20mm



01391	240	15	SBC/B15	Satin	Chandelier Candle	2000	50
-------	-----	----	---------	-------	-------------------	------	----

Note: Available while stocks last (EU Regulations)



Chandelier Satin 15W

SBC/B15

H 90mm Ø 20mm

00444	240	-	BC/B22	Clear	Flicker Candle	3000	50
00443	240	-	SBC/B15	Clear	Flicker Candle	3000	50
00442	240	-	SES/E14	Clear	Flicker Candle	3000	50

SPECIAL APPLICATION



Flicker Candle

BC/B22
SBC/B15
SES/E14

H 110mm Ø 35mm



00445	240	-	BC/B22	Neon Cross	Church Candle	3000	25
-------	-----	---	--------	------------	---------------	------	----

SPECIAL APPLICATION



Church Neon Cross

BC/B22

H 85mm Ø 35mm



01506	240	60	BC/B22	Clear	Antique Period Lantern	3000	50
01507	240	60	ES/E27	Clear	Antique Period Lantern	3000	50

Note: Available while stocks last (EU Regulations)



Antique Period Lantern 60W

BC/B22
ES/E27

H 120mm Ø 44mm



Incandescent Decorative Household

45mm Round

25W Tough
40W Lamp
60W 3000 Hours
45mm
Round
Opal

NEW

BC/B22
SBC/B15
SES/E14
ES/E27
H 70mm Ø 45mm



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
01681	240/50	25	BC/B22	Opal	170	45mm Round Tough Lamp	3000	50
01661	240/50	25	SBC/B15	Opal	170	45mm Round Tough Lamp	3000	50
01701	240/50	25	SES/E14	Opal	170	45mm Round Tough Lamp	3000	50
01721	240/50	25	ES/E27	Opal	170	45mm Round Tough Lamp	3000	50
01761	240/50	40	BC/B22	Opal	350	45mm Round Tough Lamp	3000	50
01741	240/50	40	SBC/B15	Opal	350	45mm Round Tough Lamp	3000	50
01781	240/50	40	SES/E14	Opal	350	45mm Round Tough Lamp	3000	50
01801	240/50	40	ES/E27	Opal	350	45mm Round Tough Lamp	3000	50
01841	240/50	60	BC/B22	Opal	570	45mm Round Tough Lamp	3000	50
01821	240/50	60	SBC/B15	Opal	570	45mm Round Tough Lamp	3000	50
01861	240/50	60	SES/E14	Opal	570	45mm Round Tough Lamp	3000	50
01881	240/50	60	ES/E27	Opal	570	45mm Round Tough Lamp	3000	50

SPECIAL APPLICATION

25W 1000 Hours
40W 45mm
60W Round Ball
Clear

BC/B22
SBC/B15
SES/E14
ES/E27
H 70mm Ø 45mm



01670	240	25	BC/B22	Clear		45mm Round Ball	1000	50
01650	240	25	SBC/B15	Clear		45mm Round Ball	1000	50
01690	240	25	SES/E14	Clear		45mm Round Ball	1000	50
01710	240	25	ES/E27	Clear		45mm Round Ball	1000	50
01750	240	40	BC/B22	Clear		45mm Round Ball	1000	50
01730	240	40	SBC/B15	Clear		45mm Round Ball	1000	50
01770	240	40	SES/E14	Clear		45mm Round Ball	1000	50
01790	240	40	ES/E27	Clear		45mm Round Ball	1000	50
01830	240	60	BC/B22	Clear		45mm Round Ball	1000	50
01810	240	60	SBC/B15	Clear		45mm Round Ball	1000	50
01850	240	60	SES/E14	Clear		45mm Round Ball	1000	50

Note: Available while stocks last (EU Regulations)

25W Tough
40W Lamp
60W 3000 Hours
45mm
Round
Clear

NEW

BC/B22
SBC/B15
SES/E14
ES/E27
H 70mm Ø 45mm



01671	240/50	25	BC/B22	Clear	200	45mm Round Tough Lamp	3000	50
01651	240/50	25	SBC/B15	Clear	200	45mm Round Tough Lamp	3000	50
01691	240/50	25	SES/E14	Clear	200	45mm Round Tough Lamp	3000	50
01711	240/50	25	ES/E27	Clear	200	45mm Round Tough Lamp	3000	50
01751	240/50	40	BC/B22	Clear	350	45mm Round Tough Lamp	3000	50
01731	240/50	40	SBC/B15	Clear	350	45mm Round Tough Lamp	3000	50
01771	240/50	40	SES/E14	Clear	350	45mm Round Tough Lamp	3000	50
01791	240/50	40	ES/E27	Clear	350	45mm Round Tough Lamp	3000	50
01831	240/50	60	BC/B22	Clear	600	45mm Round Tough Lamp	3000	50
01811	240/50	60	SBC/B15	Clear	600	45mm Round Tough Lamp	3000	50
01851	240/50	60	SES/E14	Clear	600	45mm Round Tough Lamp	3000	50
01871	240/50	60	ES/E27	Clear	600	45mm Round Tough Lamp	3000	50

SPECIAL APPLICATION

45mm Round Coloured GLS Coloured

Incandescent Decorative Household



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
01510	240	15	BC/B22	Amber	45mm Round Coloured Vacuum Filled	1000	50
01511	240	15	ES/E27	Amber	45mm Round Coloured Vacuum Filled	1000	50
01512	240	15	BC/B22	Blue	45mm Round Coloured Vacuum Filled	1000	50
01513	240	15	ES/E27	Blue	45mm Round Coloured Vacuum Filled	1000	50
01514	240	15	BC/B22	Green	45mm Round Coloured Vacuum Filled	1000	50
01515	240	15	ES/E27	Green	45mm Round Coloured Vacuum Filled	1000	50
01516	240	15	BC/B22	Pink	45mm Round Coloured Vacuum Filled	1000	50
01517	240	15	ES/E27	Pink	45mm Round Coloured Vacuum Filled	1000	50
01518	240	15	BC/B22	Red	45mm Round Coloured Vacuum Filled	1000	50
01519	240	15	ES/E27	Red	45mm Round Coloured Vacuum Filled	1000	50
01520	240	15	BC/B22	Yellow	45mm Round Coloured Vacuum Filled	1000	50
01521	240	15	ES/E27	Yellow	45mm Round Coloured Vacuum Filled	1000	50

SPECIAL APPLICATION - Suitable for outdoor use with approved IP rated fixture



45mm Round Coloured Vacuum Filled
BC/B22
ES/E27
H 70mm Ø 45mm



NEW

01522	240	25	BC/B22	Amber	GLS Coloured Vacuum Filled	1000	50
01523	240	25	ES/E27	Amber	GLS Coloured Vacuum Filled	1000	50
01524	240	25	BC/B22	Blue	GLS Coloured Vacuum Filled	1000	50
01525	240	25	ES/E27	Blue	GLS Coloured Vacuum Filled	1000	50
01526	240	25	BC/B22	Green	GLS Coloured Vacuum Filled	1000	50
01527	240	25	ES/E27	Green	GLS Coloured Vacuum Filled	1000	50
01528	240	25	BC/B22	Pink	GLS Coloured Vacuum Filled	1000	50
01529	240	25	ES/E27	Pink	GLS Coloured Vacuum Filled	1000	50
01530	240	25	BC/B22	Red	GLS Coloured Vacuum Filled	1000	50
01531	240	25	ES/E27	Red	GLS Coloured Vacuum Filled	1000	50
01532	240	25	BC/B22	Yellow	GLS Coloured Vacuum Filled	1000	50
01533	240	25	ES/E27	Yellow	GLS Coloured Vacuum Filled	1000	50

SPECIAL APPLICATION - Suitable for outdoor use with approved IP rated fixture



GLS Coloured Vacuum Filled
BC/B22
ES/E27
H 70mm Ø 45mm



NEW



Incandescent GLS Standard

Globe • GLS

60W Tough Lamp
100W 3000 Hours Globe Opal
 BC/B22
 ES/E27
 H 140mm Ø 95mm

NEW



Code	Volts	Watts	Cap	Finish	Lumens	Description	Hours	Box Qty
02017	240	60	BC/B22	Opal	590	95mm Globe Tough Lamp	3000	50
02018	240	60	ES/E27	Opal	590	95mm Globe Tough Lamp	3000	50
02019	240	100	BC/B22	Opal	1120	95mm Globe Tough Lamp	3000	50
02020	240	100	ES/E27	Opal	1120	95mm Globe Tough Lamp	3000	50

SPECIAL APPLICATION

25W Tough Lamp
40W 3000 Hours GLS Pearl
 BC/B22
 ES/E27
 H 103mm Ø 60mm

NEW



03061	240/50	25	BC/B22	Pearl	170	GLS Tough Lamp	3000	100
03062	240/50	25	ES/E27	Pearl	170	GLS Tough Lamp	3000	100
03063	240/50	40	BC/B22	Pearl	350	GLS Tough Lamp	3000	100
03064	240/50	40	ES/E27	Pearl	350	GLS Tough Lamp	3000	100
03059	240/50	60	BC/B22	Pearl	580	GLS Tough Lamp	3000	100
03060	240/50	60	ES/E27	Pearl	580	GLS Tough Lamp	3000	100
03057	240/50	100	BC/B22	Pearl	1040	GLS Tough Lamp	3000	100
03058	240/50	100	ES/E27	Pearl	1040	GLS Tough Lamp	3000	100

SPECIAL APPLICATION

25W 1000 Hours Standard Household GLS Clear
 BC/B22
 ES/E27
 H 103mm Ø 60mm



03035	240	25	BC/B22	Clear		Standard Household GLS	1000	100
03036	240	25	ES/E27	Clear		Standard Household GLS	1000	100
03037	240	40	BC/B22	Clear		Standard Household GLS	1000	100
03038	240	40	ES/E27	Clear		Standard Household GLS	1000	100
03039	240	60	BC/B22	Clear		Standard Household GLS	1000	100
03040	240	60	ES/E27	Clear		Standard Household GLS	1000	100

Note: Available while stocks last (EU Regulations)

100W Tough Lamp
3000 Hours GLS Clear
 BC/B22
 ES/E27
 H 103mm Ø 60mm

NEW



03041	240/50	100	BC/B22	Clear	1040	GLS Tough Lamp	3000	100
03042	240/50	100	ES/E27	Clear	1040	GLS Tough Lamp	3000	100

SPECIAL APPLICATION

**Rough Service • 110V • Nightlight
Daylight • Fireglow**

Incandescent GLS Special



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
03049	240	40	BC/B22	Pearl	Rough Service GLS	1000	100
03050	240	40	ES/E27	Pearl	Rough Service GLS	1000	100
03047	240	60	BC/B22	Pearl	Rough Service GLS	1000	100
03048	240	60	ES/E27	Pearl	Rough Service GLS	1000	100
03045	240	100	BC/B22	Pearl	Rough Service GLS	1000	100
03046	240	100	ES/E27	Pearl	Rough Service GLS	1000	100



Rough Service GLS Pearl
40W
60W
100W

BC/B22
ES/E27
H 103mm Ø 60mm



SPECIAL APPLICATION - Extra supports for rough service applications

03055	110	40	BC/B22	Pearl	110V GLS	1000	100
03056	110	40	ES/E27	Pearl	110V GLS	1000	100
03053	110	60	BC/B22	Pearl	110V GLS	1000	100
03054	110	60	ES/E27	Pearl	110V GLS	1000	100
03051	110	100	BC/B22	Pearl	110V GLS	1000	100
03052	110	100	ES/E27	Pearl	110V GLS	1000	100



110V GLS Pearl
40W
60W
100W

BC/B22
ES/E27
H 103mm Ø 60mm

SPECIAL APPLICATION

02398	240	10	BC/B22	Pearl	Nightlight GLS	1000	100
-------	-----	----	--------	-------	----------------	------	-----



Nightlight GLS Pearl
10W

BC/B22
H 103mm Ø 60mm

SPECIAL APPLICATION

03652	240	60	BC/B22	-	Daylight Blue GLS	1000	100
03650	240	60	ES/E27	-	Daylight Blue GLS	1000	100
03653	240	100	BC/B22	-	Daylight Blue GLS	1000	100
03651	240	100	ES/E27	-	Daylight Blue GLS	1000	100



Daylight Blue GLS
60W
100W

BC/B22
ES/E27
H 103mm Ø 60mm

SPECIAL APPLICATION

03550	240	60	BC/B22	Red	Fireglow GLS	1000	100
-------	-----	----	--------	-----	--------------	------	-----



Fireglow GLS
60W

BC/B22
H 103mm Ø 60mm

SPECIAL APPLICATION



Incandescent GLS Special/Reflector

Crown Silver • Reflector Spot PAR38 Sealed Beam



60W Crown Silver 100W GLS

BC/B22
ES/E27
H 103mm Ø 60mm

Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
03011	240	60	BC/B22	Crown Silver	Crown Silver GLS	1000	100
03020	240	60	ES/E27	Crown Silver	Crown Silver GLS	1000	100
03012	240	100	BC/B22	Crown Silver	Crown Silver GLS	1000	100
03019	240	100	ES/E27	Crown Silver	Crown Silver GLS	1000	100

SPECIAL APPLICATION



40W Crown Silver 45mm Round

SES/E14
H 70mm Ø 45mm

03015	240	40	SES/E14	Crown Silver	45mm Round Ball	1000	100
-------	-----	----	---------	--------------	-----------------	------	-----

SPECIAL APPLICATION



30W R39 Spot

SES/E14
H 65mm Ø 39mm

25W R50 Spot

SES/E14
H 84mm Ø 50mm

25W R64 Spot

ES/E27
H 100mm Ø 64mm

40W R80 Spot

ES/E27
H 112mm Ø 80mm

02699	240	30	SES/E14	Opal Diffused	R39 Standard Spot Lamp	1000	100
02700	240	25	SES/E14	Opal Diffused	R50 Standard Spot Lamp	1000	100
02710	240	40	SES/E14	Opal Diffused	R50 Standard Spot Lamp	1000	100
02745	240	25	ES/E27	Opal Diffused	R64 Standard Spot Lamp	1000	100
02760	240	40	ES/E27	Opal Diffused	R64 Standard Spot Lamp	1000	100
02780	240	60	ES/E27	Opal Diffused	R64 Standard Spot Lamp	1000	100
02875	240	40	ES/E27	Opal Diffused	R80 Standard Spot Lamp	1000	100
02880	240	60	ES/E27	Opal Diffused	R80 Standard Spot Lamp	1000	100
02970	240	100	ES/E27	Opal Diffused	R80 Standard Spot Lamp	1000	100

80W PAR 38 Clear Colour Flood

ES/E27
H 136mm Ø 120mm



03110	240	80	ES/E27	Clear	PAR 38 Sealed Beam Flood	1000	12
03130	240	80	ES/E27	Blue	PAR 38 Sealed Beam Flood	1000	12
03140	240	80	ES/E27	Green	PAR 38 Sealed Beam Flood	1000	12
03150	240	80	ES/E27	Red	PAR 38 Sealed Beam Flood	1000	12
03155	240	80	ES/E27	Yellow	PAR 38 Sealed Beam Flood	1000	12



NEW

Double Ended Strip • Architectural

Incandescent Double Ended



Code Volts Watts Cap Finish Description Hours Box Qty



02050	240	30	S15	Clear	221mm Double Ended Tubular	1000	25
02140	240	30	S15	Clear	284mm Double Ended Tubular	1000	25
02090	240	60	S15	Clear	221mm Double Ended Tubular	1000	25
02190	240	60	S15	Clear	284mm Double Ended Tubular	1000	25

Double Ended Strip Lamp **30W**
Clear **60W**

221mm / 284mm Ø 25mm

SPECIAL APPLICATION



02060	240	30	S15	Opal	221mm Double Ended Tubular	1000	25
02150	240	30	S15	Opal	284mm Double Ended Tubular	1000	25
02100	240	60	S15	Opal	221mm Double Ended Tubular	1000	25
02200	240	60	S15	Opal	284mm Double Ended Tubular	1000	25

Double Ended Strip Lamp **30W**
Opal **60W**

221mm / 284mm Ø 25mm

SPECIAL APPLICATION



02021	240	35	S14D	Opal	300mm Single Peg	1000	25
02022	240	60	S14D	Opal	500mm Single Peg	1000	25

Architectural Lamp **35W**
Opal **60W**

Single Peg

35W
 300mm Ø 25mm
60W
 500mm Ø 25mm



02023	240	35	S14S	Opal	300mm Double Peg	1000	25
02025	240	60	S14S	Opal	500mm Double Peg	1000	25

Architectural Lamp **35W**
Opal **60W**

Double Peg

35W
 300mm Ø 25mm
60W
 500mm Ø 25mm



Incandescent Mini Tubular

Small Sign (Pygmy)

15W Small Sign 25W Clear

BC/B22
SBC/B15
SES/E14

BC/B22
H 50mm Ø28mm

SBC/B15
SES/E14
H 50mm Ø26mm



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty
02530	240	15	BC/B22	Clear	Small Sign (Pygmy)	1000	100
02450	240	15	SBC/B15	Clear	Small Sign (Pygmy)	1000	100
02610	240	15	SES/E14	Clear	Small Sign (Pygmy)	1000	100
02630	240	25	BC/B22	Clear	Small Sign (Pygmy)	1000	100
02640	240	25	SBC/B15	Clear	Small Sign (Pygmy)	1000	100
02650	240	25	SES/E14	Clear	Small Sign (Pygmy)	1000	100

SPECIAL APPLICATION

15W Small Sign Clear/Coloured

BC/B22
SBC/B15
SES/E14

BC/B22
H 50mm Ø28mm

SBC/B15
SES/E14
H 50mm Ø26mm



02580	240	15	BC/B22	Red	Small Sign (Pygmy)	1000	100
02624	240	15	SES/E14	Red	Small Sign (Pygmy)	1000	100
02540	240	15	BC/B22	Amber	Small Sign (Pygmy)	1000	100
02460	240	15	SBC/B15	Amber	Small Sign (Pygmy)	1000	100
02620	240	15	SES/E14	Amber	Small Sign (Pygmy)	1000	100
02550	240	15	BC/B22	Blue	Small Sign (Pygmy)	1000	100
02470	240	15	SBC/B15	Blue	Small Sign (Pygmy)	1000	100
02621	240	15	SES/E14	Blue	Small Sign (Pygmy)	1000	100
02560	240	15	BC/B22	Green	Small Sign (Pygmy)	1000	100
02480	240	15	SBC/B15	Green	Small Sign (Pygmy)	1000	100
02622	240	15	SES/E14	Green	Small Sign (Pygmy)	1000	100
02600	240	15	BC/B22	Yellow	Small Sign (Pygmy)	1000	100
02626	240	15	SES/E14	Yellow	Small Sign (Pygmy)	1000	100
02570	240	15	BC/B22	Pink	Small Sign (Pygmy)	1000	100
02490	240	15	SBC/B15	Pink	Small Sign (Pygmy)	1000	100
02623	240	15	SES/E14	Pink	Small Sign (Pygmy)	1000	100
02590	240	15	BC/B22	White	Small Sign (Pygmy)	1000	100
02625	240	15	SES/E14	White	Small Sign (Pygmy)	1000	100

SPECIAL APPLICATION

**Pilot • Appliance • Cooker Hood
Oven • Nightlight**

Incandescent Mini Tubular



Code	Volts	Watts	Cap	Finish	Description	Hours	Box Qty		
02360	240	10	SBC/B15	Clear	Pilot Bulb	1000	50		Pilot Clear 10W SBC/B15 H 50mm Ø 22mm
Note: Available while stocks last									
02400	240	15	SBC/B15	Clear	Appliance (Microwave/Fridge)	1000	50		Appliance Clear 15W SBC/B15 SES/E14 H 35mm Ø 17mm
02410	240	15	SES/E14	Clear	Appliance (Microwave/Fridge)	1000	50		
SPECIAL APPLICATION									
02420	240	40	SBC/B15	Clear	Cooker Hood	1000	100		Cooker Hood Clear 40W SBC/B15 SES/E14 H 85mm Ø 25mm
02430	240	40	SES/E14	Clear	Cooker Hood	1000	50		
SPECIAL APPLICATION									
02431	240	15	SES/E14	Clear	300° Oven Bulb	1000	100		Oven Clear 15W 25W 40W SES/E14 H 50mm Ø 22mm G45 H 70mm Ø 50mm
02432	240	25	SES/E14	Clear	300° Oven Bulb	1000	100		
02433	240	40	SES/E14	Clear	G45 Round 300° Oven Bulb	1000	100		
SPECIAL APPLICATION									
02393	240	7	CES/E12	Clear	Nightlight - Single Blister	1000	25		Nightlight Clear 7W CES/E12 SES/E14 H 53mm Ø 20mm
02392	240	7	SES/E14	Clear	Nightlight - Single Blister	1000	25		
SPECIAL APPLICATION									



Discharge Lamps

Tubular and Elliptical Metal Halide For Open/Enclosed Fitting – SON Ballast

70W Metal Halide 150W Tubular 250W for Enclosed 400W Luminaires – SON Ballast

70W
Ø 38mm L 156mm
150W
Ø 46mm L 211mm
250W
Ø 46mm L 225mm
400W
Ø 46mm L 285mm



Code	Watts	Cap	Finish	Colour Temp	Control Gear	Lmns	Burning Position	Hours	Box Qty
05360	70	ES/E27	Clear	4000K	HPS Ballast & Ignitor	5300	Universal	15000	12
05361	150	GES/E40	Clear	4000K	HPS Ballast & Ignitor	14000	Universal	15000	12
05362	250	GES/E40	Clear	4000k	HPS Ballast & Ignitor	19000	Universal	10000	12
05363	400	GES/E40	Clear	4000k	HPS Ballast & Ignitor	36000	Universal	15000	12

70W Metal Halide 150W Elliptical 250W for Open & Enclosed 400W Luminaires – SON Ballast

70W
Ø 54mm L 141mm
150W
Ø 90mm L 215mm
250W
Ø 90mm L 215mm
400W
Ø 120mm L 296mm



05364	70	ES/E27	White Coated	3700K	HPS Ballast & Ignitor	5000	Universal	15000	12
05365	150	GES/E40	White Coated	3700K	HPS Ballast & Ignitor	12600	Universal	15000	12
05366	250	GES/E40	White Coated	3700K	HPS Ballast & Ignitor	20000	Vertical +/-15°	20000	12
05367	400	GES/E40	White Coated	3700K	HPS Ballast & Ignitor	40000	Vertical +/-15°	20000	6

Tubular and Elliptical Metal Halide For Enclosed Fitting – Mercury Ballast EURO

250W Metal Halide 400W Tubular for Enclosed Luminaires – Mercury Ballast

250W
Ø 46mm L 225mm
400W
Ø 46mm L 285mm



05368	250	GES/E40	Clear	4000K	Mercury Ballast+750V Ignitor or CWA Gear	21000	Universal	10000	12
05369	400	GES/E40	Clear	4000K	Mercury Ballast+750V Ignitor or CWA Gear	36000	Universal	15000	12

250W Metal Halide 400W Elliptical for Enclosed Luminaires – Mercury Ballast

250W
Ø 90mm L 215mm
400W
Ø 120mm L 296mm



05370	250	GES/E40	White Coated	3700K	Mercury Ballast+750V Ignitor or CWA Gear	20000	Universal	10000	12
05371	400	GES/E40	White Coated	3700K	Mercury Ballast+750V Ignitor or CWA Gear	34000	Universal	15000	6

Tubular and Elliptical Metal Halide For Enclosed Fitting – Dual Mercury or SON Ballast

Discharge Lamps



Code	Watts	Cap	Finish	Colour Temp	Control Gear	Lmns	Burning Position	Hours	Box Qty
05372	250	GES/E40	Clear	4500K	Mercury Ballast + Ignitor/HPS Gear	19000	Horizontal +/- 15°	10000	12
05373	400	GES/E40	Clear	4500K	Mercury Ballast + Ignitor/HPS Gear	30000	Horizontal +/- 15°	15000	12



**Dual 250W
Metal Halide 400W
Tubular**
for Enclosed Luminaires
– Mercury/SON Ballast
250W
Ø 46mm L 245mm
400W
Ø 46mm L 285mm

05374	250	GES/E40	White Coated	4500K	Mercury Ballast + Ignitor/HPS Gear	18000	Vertical +/- 15°	10000	12
05375	400	GES/E40	White Coated	4500K	Mercury Ballast + Ignitor/HPS Gear	28500	Vertical +/- 15°	15000	6



**Dual 250W
Metal Halide 400W
Elliptical**
for Enclosed Luminaires
– Mercury/SON Ballast
250W
Ø 90mm L 215mm
400W
Ø 120mm L 296mm

Double and Single Ended Tubular Quartz/Ceramic

05990	70	RX7s	Clear	4200K	HPS Ballast + Ignitor/Electronic	5500	Horizontal +/- 45°	10000	25
05991	70	RX7s	Clear	3000K	HPS Ballast + Ignitor/Electronic	5200	Horizontal +/- 45°	10000	25
05992	150	RX7s	Clear	4200K	HPS Ballast + Ignitor/Electronic	11250	Horizontal +/- 45°	10000	25
05993	150	RX7s	Clear	3000K	HPS Ballast + Ignitor/Electronic	11250	Horizontal +/- 45°	10000	25



**Quartz 70W
Metal Halide 150W
Double Ended**
for Enclosed Luminaires
70W
Ø 20mm L 117.6mm
150W
Ø 23mm L 135.4mm

05978	70	RX7s	Clear	4200K	HPS Ballast + Ignitor/Electronic	6600	Universal	15000	12
05979	70	RX7s	Clear	3000K	HPS Ballast + Ignitor/Electronic	7000	Universal	15000	12
05980	150	RX7s	Clear	4200K	HPS Ballast + Ignitor/Electronic	12500	Universal	15000	12
05981	150	RX7s	Clear	3000K	HPS Ballast + Ignitor/Electronic	14000	Universal	15000	12



**Ceramic 70W
Metal Halide 150W
Double Ended**
for Enclosed Luminaires
70W
Ø 23mm L 120mm
150W
Ø 23mm L 135mm

05982	70	G12	Clear	3000K	HPS Ballast + Ignitor/Electronic	7000	Universal	12000	12
05983	70	G12	Clear	4200K	HPS Ballast + Ignitor/Electronic	6600	Universal	12000	12
05984	150	G12	Clear	3000K	HPS Ballast + Ignitor/Electronic	15000	Universal	12000	12
05985	150	G12	Clear	4200K	HPS Ballast + Ignitor/Electronic	13500	Universal	12000	12



**Ceramic 70W
Metal Halide 150W
Single Ended**
for Enclosed Luminaires
70W
Ø 19mm L 90mm
150W
Ø 19mm L 100mm

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE



Discharge Lamps

High Pressure Sodium Tubular and Elliptical With/Without Ignitor For Open/Enclosed Fitting – SON Ballast

70W High Pressure Sodium Tubular 150W 250W 400W for Open & Enclosed Luminaires – SON Ballast

70W
Ø 38.5mm L 156mm
150W
Ø 48mm L 211mm
250W
Ø 48mm L 260mm
400W
Ø 48mm L 278mm



Code	Watts	Cap	Finish	Colour Temp	Control Gear	Lmns	Burning Position	Hours	Box Qty
05384	70	ES/E27	Clear	2000K	HPS Ballast + Ignitor/Electronic	6000	Universal	28000	25
05385	150	GES/E40	Clear	2000K	HPS Ballast + Ignitor/Electronic	15000	Universal	28000	12
05386	250	GES/E40	Clear	2000K	HPS Ballast + Ignitor/Electronic	27500	Universal	28000	12
05387	400	GES/E40	Clear	2000K	HPS Ballast + Ignitor/Electronic	50000	Universal	28000	12

70W High Pressure Sodium Elliptical 150W 250W 400W for Open & Enclosed Luminaires – SON Ballast

70W
Ø 72mm L 156mm
150W
Ø 91mm L 227mm
250W
Ø 91mm L 227mm
400W
Ø 122mm L 282mm



05376	70	ES/E27	White Coated	2000K	HPS Ballast + Ignitor/Electronic	5300	Universal	28000	12
05377	150	GES/E40	White Coated	2000K	HPS Ballast + Ignitor/Electronic	14500	Universal	28000	12
05378	250	GES/E40	White Coated	2000K	HPS Ballast + Ignitor/Electronic	26000	Universal	28000	12
05379	400	GES/E40	White Coated	2000K	HPS Ballast + Ignitor/Electronic	47500	Universal	28000	12

70W High Pressure Sodium Tubular with Internal Ignitor 150W 250W 400W for Open & Enclosed Luminaires – SON Ballast

70W
Ø 38.5mm L 156mm
150W
Ø 48mm L 211mm
250W
Ø 48mm L 260mm
400W
Ø 48mm L 278mm



05388	70	ES/E27	Clear	2000K	HPS Ballast	6000	Universal	28000	25
05389	150	GES/E40	Clear	2000K	HPS Ballast	15000	Universal	28000	12
05390	250	GES/E40	Clear	2000K	HPS Ballast	27500	Universal	28000	12
05391	400	GES/E40	Clear	2000K	HPS Ballast	50000	Universal	28000	12

70W High Pressure Sodium Elliptical with Internal Ignitor 150W 250W 400W for Open & Enclosed Luminaires – SON Ballast

70W
Ø 72mm L 156mm
150W
Ø 91mm L 227mm
250W
Ø 91mm L 227mm
400W
Ø 122mm L 282mm



05380	70	ES/E27	White Coated	2000K	HPS Ballast	5300	Universal	28000	12
05381	150	GES/E40	White Coated	2000K	HPS Ballast	14500	Universal	28000	12
05382	250	GES/E40	White Coated	2000K	HPS Ballast	26000	Universal	28000	12
05383	400	GES/E40	White Coated	2000K	HPS Ballast	47500	Universal	28000	12

WEEE registration number: WEE/GJ0117XV
NO ADDITIONAL CHARGE ON INVOICE

High Pressure Mercury Elliptical For Open/Enclosed Fitting – Mercury Ballast



Code	Watts	Cap	Finish	Colour Temp	Control Gear	Lmns	Burning Position	Hours	Box Qty
05392	250	GES/E40	White Coated	4000K	Mercury	13000	Universal	15000	12
05393	400	GES/E40	White Coated	4000K	Mercury	22500	Universal	15000	12



High Pressure Mercury Blended
250W
400W
 for Open & Enclosed Luminaires
 – Mercury Ballast
250W
 Ø 90mm L 227mm
400W
 Ø 120mm L 292mm

WEEE registration number: WEE/GJ0117XV
 NO ADDITIONAL CHARGE ON INVOICE



Display Units

Retail Display Units

POS Units

Designed to take the full range of Energy Saving bulbs available from BELL. Floor standing with adjustable hook height for maximum coverage. With pre-wired Lamp Display Unit.

Height 175cm, width 55cm, depth 55cm.

Please contact Customer Services for more details of these display units



09600 LED Retail Display Unit



09601 CFL Retail Display Unit



09602 Halogen Savers Retail Display Unit



Please contact Customer Services for more details of these display units



Product Literature

British Electric Lamps Limited also manufacture and supply a wide range of light fitting solutions. Additional product literature is available to further enhance and promote the BELL lamp and lighting fixtures range.

We keep all our customers up to date with new products through informative mailings and our regularly updated website:

www.bellighting.co.uk

Full details of all the BELL products are available by contacting our Customer Services on


+44 (0)1924 893380



Power / Intensity LED Range A4 Brochure



Halogen Energy Saving Range A4 Brochure



CFL Range A4 Brochure



Aqua Sensor 2D Fitting Range A4 Brochure



Aqua 2D LED Replacement Lamp Brochure



Complete Fittings A4 Catalogue



Customer Services and Distribution

Unit A, Foxbridge Way,
Normanton Industrial Estate,
Normanton, West Yorkshire WF6 1TN, UK
Tel: +44 (0)1924 893380
Fax: +44 (0)1924 894320
email: sales@belllighting.co.uk

Head Office and Accounts

Unit 3, The Showhouse,
Merton Abbey Mills,
Watermill Way,
London SW19 2RD, UK
Tel: +44 (0)208 5459590
Fax: +44 (0)208 5420749
email: accounts@belllighting.co.uk

www.belllighting.co.uk

©2012 British Electric Lamps Ltd. No part of this catalogue may be reproduced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher and copyright holder. Picture of Earth courtesy of NASA.

E&OE. As it is our policy to continually update our products with the latest in technological advances, the information contained in this catalogue is subject to change without notice.

All measurements stated are approximate to within production tolerances of +/-5mm.



BRITISH ELECTRIC LAMPS LIMITED



British Electric Lamps Limited
Unit A, Foxbridge Way,
Normanton Industrial Estate,
Normanton,
West Yorkshire WF6 1TN
United Kingdom
Tel: +44 (0)1924 893380
Fax: +44 (0)1924 894320
email: sales@belllighting.co.uk
www.belllighting.co.uk

Distributed by

