



BRITISH ELECTRIC LAMPS LIMITED

Halogen Savers

Halogen
Energy Saving
Range 2011



LOOKING TO THE FUTURE...



Crisp white light with new Energy Saving



Class "C" Energy Saving Halogen 35mm Candle 2000 hrs 18W 28W 42W

Code	Volts	Watt	Cap	Finish
05190	240	18	BC/B22	Clear
05191	240	18	SBC/B15	Clear
05192	240	18	SES/E14	Clear
05193	240	18	ES/E27	Clear
05200	240	28	BC/B22	Clear
05201	240	28	SBC/B15	Clear
05202	240	28	SES/E14	Clear
05203	240	28	ES/E27	Clear
05204	240	42	BC/B22	Clear
05205	240	42	SBC/B15	Clear
05206	240	42	SES/E14	Clear
05207	240	42	ES/E27	Clear

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
18W	25W
28W	40W
42W	60W

- Dimmable
- Internally fused

H 105mm Ø 35mm



Class "C" Energy Saving Halogen GLS 2000 hrs 28W 42W 70W

Code	Volts	Watt	Cap	Finish
05208	240	28	BC/B22	Clear
05209	240	28	ES/E27	Clear
05210	240	42	BC/B22	Clear
05211	240	42	ES/E27	Clear
05212	240	70	BC/B22	Clear
05213	240	70	ES/E27	Clear

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
28W	40W
42W	60W
70W	100W

- Dimmable
- Internally fused

H 103mm Ø 60mm



Class "C" Energy Saving Halogen 45mm Round 2000 hrs 18W 28W 42W

Code	Volts	Watt	Cap	Finish
05216	240	18	BC/B22	Clear
05217	240	18	SBC/B15	Clear
05218	240	18	SES/E14	Clear
05219	240	18	ES/E27	Clear
05221	240	28	BC/B22	Clear
05222	240	28	SBC/B15	Clear
05223	240	28	SES/E14	Clear
05224	240	28	ES/E27	Clear
05226	240	42	BC/B22	Clear
05227	240	42	SBC/B15	Clear
05228	240	42	SES/E14	Clear
05229	240	42	ES/E27	Clear

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
18W	25W
28W	40W
42W	60W

- Dimmable
- Internally fused

H 70mm Ø 45mm



Energy Saving Halogen 50mm GU10 Aluminium 2500 hrs 25W 35W

Code	Volts	Watt	Cap	Finish/Description
04069	240	25	GU10	Clear 50° Wide Flood Beam
04070	240	35	GU10	Clear 50° Wide Flood Beam

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
25W	35W
35W	50W

H 59mm Ø 50mm

- Dimmable
- Internally fused
- Suitable for fire rated fitting



Energy Saving Halogen 50mm MR16 Aluminium 4000 hrs 25W 35W

Code	Volts	Watt	Cap	Finish/Description
04061	12	25	GU5.3	Clear M281E 38° Flood Beam
04055	12	35	GU5.3	Clear M258E 38° Flood Beam
04058	12	35	GU5.3	Clear M280E 60° Wide Flood Beam

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
25W	35W
35W	50W

H 45mm Ø 50mm



Class "C" Energy Saving Halogen G9 2000 hrs 18W 28W 42W

Code	Volts	Watt	Cap	Finish
04079	240	18	G9	Clear
04080	240	28	G9	Clear
04081	240	42	G9	Clear

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
18W	25W
28W	40W
42W	60W

H 47mm Ø 13mm



Class "C" Energy Saving Halogen 78mm Linear 2000 hrs 80W 120W

Code	Volts	Watt	Cap	Finish
03841	240	80	R7s	Clear
03842	240	120	R7s	Clear

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
80W	100W
120W	150W

L 78mm Ø 12mm



Class "C" Energy Saving Halogen 117mm Linear 2000 hrs 80W 120W 160W 230W 400W

Code	Volts	Watt	Cap	Finish
03847	240	80	R7s	Clear
03843	240	120	R7s	Clear
03844	240	160	R7s	Clear
03845	240	230	R7s	Clear
03846	240	400	R7s	Clear

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
80W	100W
120W	150W
160W	200W
230W	300W
400W	500W

L 117mm Ø 12mm

30% ENERGY SAVING

Equivalent light output values shown are an approximate guide only.


ing Halogen Technology

HALOGEN SAVERS

with a **TWIST!**

Replace traditional bulbs with BELL Energy Saving Adaptors to give a soft warm glow in decorative fittings.

- **Dimmable**
- **Energy Saving**
- **Long Life**



Re-use the adaptor again and again... just change the G9 bulb.



Adaptors can be used with or without a cover



Patent Pending 0905687.0
Registered Design No. 001164974

Energy Saving Halogen G9 Clear + Adaptor

3000 hrs 25W 40W 60W

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
25W	40W
40W	60W
60W	100W

Code	Volts	Watt	Cap
05309	240	25	BC/B22
05310	240	25	SBC/B15
05311	240	25	SES/E14
05308	240	25	ES/E27
05317	240	40	BC/B22
05318	240	40	SBC/B15
05319	240	40	SES/E14
05316	240	40	ES/E27
05340	240	60	BC/B22
05341	240	60	ES/E27

EQUIVALENT LIGHT OUTPUT	
E/S HALOGEN BULB	OLD STYLE BULB
18W	25W
28W	40W
42W	60W

Class "C" Energy Saving Halogen G9 Clear + Adaptor

2000 hrs 18W 28W 42W

BC
ES
SBC
SES

Code	Volts	Watt	Cap
05275	240	18	BC/B22
05276	240	18	SBC/B15
05277	240	18	SES/E14
05274	240	18	ES/E27
05279	240	28	BC/B22
05280	240	28	SBC/B15
05281	240	28	SES/E14
05278	240	28	ES/E27
05283	240	42	BC/B22
05284	240	42	SBC/B15
05285	240	42	SES/E14
05282	240	42	ES/E27

H 73mm Ø 27mm

HALOGEN SAVERS Just add a cover of your choice:


35mm Candle



Code	Finish
05296	Clear
05257	Soft Tone
05350	Opal
05235	Red
05236	Green
05237	Yellow
05238	Blue
05348	Amber

H 75mm Ø 35mm

Candelux



05295	Clear
05256	Soft Tone
05339	Amber Tip

H 90mm Ø 35mm

Small Twisted Candle



05337	Frosted
05338	Gold

H 75mm Ø 35mm

Large Twisted Candle Frosted



05349	Frosted
-------	---------

H 90mm Ø 43mm


45mm Round



05297	Clear
05258	Soft Tone
05351	Opal
05239	Red
05240	Green
05241	Yellow
05242	Blue
05243	Amber

H 45mm Ø 45mm

60mm GLS



05299	Clear
05260	Soft Tone
05230	Red
05231	Green
05232	Yellow
05233	Blue
05234	Amber

H 82mm Ø 60mm

60mm Mini Globe



05298	Clear
05259	Soft Tone
05330	Gold

H 70mm Ø 60mm

95mm Globe



05332	Soft Tone
-------	-----------

H 120mm Ø 95mm

Reflector Spot



05335	R50	Opal Diffused
05334	R64	Opal Diffused
05336	R80	Opal Diffused

R50 H 60mm Ø 50mm
R64 H 70mm Ø 63mm
R80 H 85mm Ø 80mm

NOT SUITABLE FOR OUTDOOR USE

HALOGEN SAVERS Adaptor Display Units



Halogen G9 Adaptor Display Units

Designed to display a representative selection of Halogen G9 Adaptors and their screw-on Decorative Covers, in BC, ES, SES, SBC fittings.

Halogen G9 Adaptor Floor Standing Retail Display Unit

Designed to take the full range of Energy Saving Halogen G9 Adaptors and Decorative Covers available from Bell. Complete with attachable lamp trunk to display lit bulbs. Adjustable hook height for maximum coverage. Height 175cm, width 55cm, depth 55cm.

Please contact Customer Services for more details on these display units



British Electric Lamps Limited
Ripley Close
Normanton Industrial Estate
Normanton
West Yorkshire WF6 1TB
Tel: 01924 893380
Fax: 01924 894320
email: sales@bellighting.co.uk

www.bellighting.co.uk

Distributed by